

Trailer Life 2009 Tow Ratings Guide

COMPILED BY CHRIS HEMER

ACURA		
Vehicle	Engine	Tow Limit (lb)
MDX	3.7L V-6	5,000

AUDI		
Vehicle	Engine	Tow Limit (lb)
Q7	3.6L V-6	5,500
Q7	3.6L V-6	6,600 (t)
Q7	4.2L V-8	5,500
Q7	4.2L V-8	6,600 (t)

BMW		
Vehicle	Engine	Tow Limit (lb)
X3 3.0si	3.0L I-6	3,500
X5 3.0si	3.0L I-6	6,000
X5 4.8Li	4.8L V-8	6,000
X6	3.0L I-6	6,000
X6	4.4L V-8	6,000

BUICK		
Vehicle	Engine	Tow Limit (lb)
Enclave FWD	3.6L V-6	2,000
Enclave FWD	3.6L V-6	4,500 (t)

CADILLAC		
Vehicle	Engine	Tow Limit (lb)
Escalade 2WD	6.2L V-8	8,300
Escalade AWD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	7,600
Escalade ESV AWD	6.2L V-8	7,800
Escalade EXT AWD	6.2L V-8	7,500
Escalade Two Mode Hybrid 2WD	6.0L V-8	5,800
Escalade Two Mode Hybrid 4WD	6.0L V-8	5,600
SRX	AI	2,000
SRX	AI	4,250 (t)

CHEVROLET/GMC		
Vehicle	Engine	Tow Limit (lb)
Avalanche 1500 2WD	5.3L V-8	5,100 (h*)
Avalanche 1500 2WD	5.3L V-8	5,600 (e*)
Avalanche 1500 2WD	5.3L V-8	8,100 (e.p*)
Avalanche 1500 2WD	5.3L V-8	5,000 (b)
Avalanche 1500 2WD	5.3L V-8	5,500 (e)
Avalanche 1500 2WD	5.3L V-8	8,000 (e)
Avalanche 1500 2WD	6.0L V-8	8,100
Avalanche 1500 4WD	5.3L V-8	5,400 (e*)
Avalanche 1500 4WD	5.3L V-8	7,800 (e.p*)
Avalanche 1500 4WD	5.3L V-8	5,500 (e)
Avalanche 1500 4WD	5.3L V-8	7,900 (e.p)
Avalanche 1500 4WD	6.0L V-8	7,700 (e)

* = Flex Fuel model

Traverse/Acadia FWD	3.6L V-6	2,000
Traverse/Acadia FWD	3.6L V-6	5,200 (t)/4,500 (t)
Traverse/Acadia AWD	3.6L V-6	2,000
Traverse/Acadia AWD	3.6L V-6	5,200 (t)/4,500 (t)
Colorado/Canyon Reg Cab 2WD	2.9L I-4	3,400 (a.g)
Colorado/Canyon Reg Cab 2WD	2.9L I-4	2,400 (m.g)
Colorado/Canyon Reg Cab 2WD	3.7L I-5	4,000 (a.g)
Colorado/Canyon Ext Cab 2WD	2.9L I-4	3,200 (a.g)
Colorado/Canyon Ext Cab 2WD	2.9L I-4	2,200 (m.g)
Colorado/Canyon Ext Cab 2WD	3.7L I-5	5,500 (a.g)
Colorado/Canyon Ext Cab 2WD	5.3L V-8	6,000 (a.e/g)
Colorado/Canyon Ext Cab 2WD	5.3L V-8	4,000 (a.e*)
Colorado/Canyon CC 2WD	2.9L I-4	3,000 (a.g)
Colorado/Canyon CC 2WD	2.9L I-4	2,100 (m.g)
Colorado/Canyon CC 2WD	3.7L I-5	5,500 (a.g)
Colorado/Canyon CC 2WD	5.3L V-8	6,000 (a.e/g)
Colorado/Canyon Reg Cab 4WD	2.9L I-4	3,100 (a.g)
Colorado/Canyon Reg Cab 4WD	2.9L I-4	2,100 (m.g)
Colorado/Canyon Reg Cab 4WD	3.7L I-5	4,000 (a.g)
Colorado/Canyon Ext Cab 4WD	2.9L I-4	2,900 (a.g)
Colorado/Canyon Ext Cab 4WD	3.7L I-5	5,500 (a.g)
Colorado/Canyon Ext Cab 4WD	5.3L V-8	6,000 (a.e/f)
Colorado/Canyon Ext Cab 4WD	5.3L V-8	3,800 (a.e*)
Colorado/Canyon CC 4WD	3.7L I-5	5,500 (a.g)
Colorado/Canyon CC 4WD	5.3L V-8	6,000 (a.e/f)

* With ZQ8 Sport Suspension

Equinox	AI	3,500
Express/Savana 1500 SWB CV 2WD	4.3L V-6	4,400
Express/Savana 1500 SWB CV 2WD	5.3L V-8	6,700 (e/g)
Express/Savana 1500 SWB CV AWD	5.3L V-8	6,500
Express/Savana 1500 SWB PV 2WD	5.3L V-8	6,200
Express/Savana 1500 SWB PV AWD	5.3L V-8	6,000
Express/Savana 2500 SWB CV 2WD	4.8L V-6	6,400 (g)
Express/Savana 2500 SWB CV 2WD	4.8L V-6	7,400 (i)
Express/Savana 2500 SWB CV 2WD	6.0L V-8	8,400 (g)
Express/Savana 2500 SWB CV 2WD	6.0L V-8	10,000 (i)
Express/Savana 2500 SWB PV 2WD	6.0L V-8	7,600 (g)
Express/Savana 2500 SWB PV 2WD	6.0L V-8	10,000 (i)
Express/Savana 2500 LWB CV 2WD	4.8L V-6	6,200 (g)
Express/Savana 2500 LWB CV 2WD	4.8L V-6	7,200 (i)
Express/Savana 2500 LWB CV 2WD	6.0L V-8	8,200 (g)
Express/Savana 2500 LWB CV 2WD	6.0L V-8	10,000 (i)
Express/Savana 3500 SWB CV 2WD	4.8L V-6	6,400 (g)
Express/Savana 3500 SWB CV 2WD	4.8L V-6	9,400 (i)
Express/Savana 3500 SWB CV 2WD	6.0L V-8	8,400 (g)
Express/Savana 3500 SWB CV 2WD	6.0L V-8	10,000 (i)
Express/Savana 3500 SWB PV 2WD	6.0L V-8	7,600 (g)

Express/Savana 3500 LWB CV 2WD	4.8L V-8	6,100 (g)
Express/Savana 3500 LWB CV 2WD	4.8L V-8	7,100 (i)
Express/Savana 3500 LWB CV 2WD	6.0L V-8	8,200 (g)
Express/Savana 3500 LWB CV 2WD	6.0L V-8	10,000 (i)
Express/Savana 3500 LWB PV 2WD	6.0L V-8	7,300 (g)

Silverado/Sierra 1500 Reg Cab, Std. Bed

1500 Reg Cab Std. Bed 2WD	4.3L V-6	4,800 (d)
1500 Reg Cab Std. Bed 2WD	4.3L V-6	5,300 (g)
1500 Reg Cab Std. Bed 2WD	4.8L V-8	5,200 (d)
1500 Reg Cab Std. Bed 2WD	4.8L V-8	7,200 (g)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	7,200 (a4,e)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	8,200 (a4,g)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	6,600 (a6,e*)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	6,700 (a6,e)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	9,100 (a6,e,p*)
1500 Reg Cab Std. Bed 2WD	5.3L V-8	9,200 (a6,e,p)
1500 Reg Cab Std. Bed 4WD	4.3L V-6	5,100 (g)
1500 Reg Cab Std. Bed 4WD	4.8L V-8	6,000 (e)
1500 Reg Cab Std. Bed 4WD	5.3L V-8	6,400 (e)
1500 Reg Cab Std. Bed 4WD	5.3L V-8	8,900 (e,p)
1500 Reg Cab Std. Bed 4WD	5.3L V-8	7,900 (g)
1500 Reg Cab Std. Bed 4WD	5.3L V-8	8,900 (i)

* Flex Fuel model

Silverado/Sierra 1500 Ext Cab, Std. Bed

1500 Ext Cab Std. Bed 2WD	4.3L V-6	4,400 (d)
1500 Ext Cab Std. Bed 2WD	4.3L V-6	4,900 (g)
1500 Ext Cab Std. Bed 2WD	4.8L V-8	4,700 (d)
1500 Ext Cab Std. Bed 2WD	4.8L V-8	6,700 (g)
1500 Ext Cab Std. Bed 2WD	5.3L V-8	6,700 (a4,e)
1500 Ext Cab Std. Bed 2WD	5.3L V-8	7,700 (a4,g)
1500 Ext Cab Std. Bed 2WD	5.3L V-8	6,200 (a6,e)
1500 Ext Cab Std. Bed 2WD	5.3L V-8	9,700 (a6,e,p)
1500 Ext Cab Std. Bed 2WD	6.0L V-8	6,700 (e)
1500 Ext Cab Std. Bed 2WD	6.0L V-8	9,700 (e,p)
1500 Ext Cab Std. Bed 2WD	6.0L V-8	10,700 (g,t)
1500 Ext Cab Std. Bed 4WD	4.8L V-8	5,500 (e)
1500 Ext Cab Std. Bed 4WD	5.3L V-8	5,900 (e)
1500 Ext Cab Std. Bed 4WD	5.3L V-8	9,400 (e,p)
1500 Ext Cab Std. Bed 4WD	5.3L V-8	7,500 (g)
1500 Ext Cab Std. Bed 4WD	5.3L V-8	8,500 (i)
1500 Ext Cab Std. Bed 4WD	6.0L V-8	6,400 (e)
1500 Ext Cab Std. Bed 4WD	6.0L V-8	9,400 (e,p)
1500 Ext Cab Std. Bed 4WD	6.0L V-8	10,400 (g,t)

Silverado/Sierra 1500 Ext Cab, Shortbed

1500 Ext Cab Shortbed 2WD	4.3L V-6	4,400 (d)
1500 Ext Cab Shortbed 2WD	4.3L V-6	4,900 (g)
1500 Ext Cab Shortbed 2WD	4.8L V-8	5,800 (e)
1500 Ext Cab Shortbed 2WD	4.8L V-8	6,800 (g)
1500 Ext Cab Shortbed 2WD	5.3L V-8	6,800 (e)
1500 Ext Cab Shortbed 2WD	5.3L V-8	7,800 (g)
1500 Ext Cab Shortbed 2WD	6.0L V-8	6,700 (e)
1500 Ext Cab Shortbed 2WD	6.0L V-8	9,700 (e,p)
1500 Ext Cab Shortbed 4WD	4.8L V-8	5,500 (e)

1500 Ext Cab Shortbed 4WD	4.8L V-8	8,500 (i)
1500 Ext Cab Shortbed 4WD	5.3L V-8	7,500 (g)
1500 Ext Cab Shortbed 4WD	5.3L V-8	8,500 (i)
1500 Ext Cab Shortbed 4WD	6.0L V-8	6,400 (e)
1500 Ext Cab Shortbed 4WD	6.0L V-8	9,400 (e,p)

Silverado/Sierra 1500 CC, Shortbed

1500 CC Shortbed 2WD	4.8L V-8	4,700 (d)
1500 CC Shortbed 2WD	4.8L V-8	6,700 (g)
1500 CC Shortbed 2WD	5.3L V-8	6,100 (e)
1500 CC Shortbed 2WD	5.3L V-8	9,600 (e,p)
1500 CC Shortbed 2WD	6.0L V-8	6,600 (e)
1500 CC Shortbed 2WD	6.2L V-8	6,600 (e)
1500 CC Shortbed 2WD	6.0L V-8	9,600 (e,p)
1500 CC Shortbed 2WD	6.2L V-8	9,600 (e,p)
1500 CC Shortbed 2WD	6.0L V-8	10,600 (g,t)
1500 CC Shortbed 2WD	6.2L V-8	10,600 (g,t)
1500 CC Shortbed 4WD	4.8L V-8	5,400 (e)
1500 CC Shortbed 4WD	5.3L V-8	6,000 (e)
1500 CC Shortbed 4WD	5.3L V-8	9,500 (e,p)
1500 CC Shortbed 4WD	6.0L V-8	6,300 (e)
1500 CC Shortbed 4WD	6.2L V-8	6,300 (e)
1500 CC Shortbed 4WD	6.0L V-8	9,300 (e,p)
1500 CC Shortbed 4WD	6.2L V-8	9,300 (e,p)
1500 CC Shortbed 4WD	6.0L V-8	10,400 (g,t)

Manufacturer's Note: Travel trailer ratings are shown; fifth-wheel ratings may be considerably less (up to 1,000 lb).

Sierra Denali CC Shortbed, 1500 2WD and AWD

Sierra Denali CC Shortbed 2WD	5.3L V-8	6,100
Sierra Denali CC Shortbed 2WD	5.3L V-8	9,600 (p)
Sierra Denali CC Shortbed 2WD	6.2L V-8	6,600
Sierra Denali CC Shortbed 2WD	6.2L V-8	9,600 (p)
Sierra Denali CC Shortbed AWD	5.3L V-8	6,000
Sierra Denali CC Shortbed AWD	5.3L V-8	9,500 (p)
Sierra Denali CC Shortbed AWD	6.2L V-8	6,300
Sierra Denali CC Shortbed AWD	6.2L V-8	9,300 (p)

Manufacturer's Note: This model is neither designed nor intended to tow a fifth-wheel or gooseneck trailer.

Silverado/Sierra 1500 Reg Cab LB

1500 Reg Cab LB 2WD	4.3L V-6	4,700 (d)
1500 Reg Cab LB 2WD	4.3L V-6	5,200 (g)
1500 Reg Cab LB 2WD	4.8L V-8	5,100 (d)
1500 Reg Cab LB 2WD	4.8L V-8	7,100 (g)
1500 Reg Cab LB 2WD	5.3L V-8	7,000 (a4,e)
1500 Reg Cab LB 2WD	5.3L V-8	8,000 (a4,e)
1500 Reg Cab LB 2WD	5.3L V-8	6,500 (a6,e)
1500 Reg Cab LB 2WD	5.3L V-8	10,000 (a6,e,p)
1500 Reg Cab LB 4WD	4.3L V-6	4,900 (g)
1500 Reg Cab LB 4WD	4.8L V-8	5,800 (e)
1500 Reg Cab LB 4WD	5.3L V-8	6,300 (e)
1500 Reg Cab LB 4WD	5.3L V-8	9,800 (e,p)
1500 Reg Cab LB 4WD	5.3L V-8	7,900 (g)
1500 Reg Cab LB 4WD	5.3L V-8	8,900 (i)

Silverado/Sierra 1500 Ext Cab LB

1500 Ext Cab LB 2WD	5.3L V-8	7,600 (a4,g)
1500 Ext Cab LB 2WD	5.3L V-8	6,000 (a6,e)
1500 Ext Cab LB 2WD	5.3L V-8	9,500 (a8,e,p)
1500 Ext Cab LB 4WD	5.3L V-8	5,700 (e)
1500 Ext Cab LB 4WD	5.3L V-8	9,200 (e,p)
1500 Ext Cab LB 4WD	5.3L V-8	7,600 (g*)
1500 Ext Cab LB 4WD	5.3L V-8	7,300 (g)

* Flex Fuel model

Silverado/Sierra Two-Mode Hybrid

Two-Mode Hybrid 2WD	6.0L V-8	6,100 (b)
Two-Mode Hybrid 4WD	6.0L V-8	5,900 (b)

Silverado/Sierra 2500 Ext Cab Std. Bed

2500 Ext Cab Std. Bed 2WD	6.0L V-8	10,200 (g)
2500 Ext Cab Std. Bed 2WD	6.0L V-8	12,700 (i)
2500 Ext Cab Std. Bed 2WD	6.6L V-8 TD	15,500 (g)
2500 Ext Cab Std. Bed 4WD	6.0L V-8	9,900 (g)
2500 Ext Cab Std. Bed 4WD	6.0L V-8	12,400 (i)
2500 Ext Cab Std. Bed 4WD	6.6L V-8 TD	14,500 (g)

Silverado/Sierra 2500 CC Std. Bed

2500 CC Std. Bed 2WD	6.0L V-8	10,000 (g)
2500 CC Std. Bed 2WD	6.0L V-8	12,500 (i)
2500 CC Std. Bed 2WD	6.6L V-8 TD	15,300 (g)
2500 CC Std. Bed 4WD	6.0L V-8	9,800 (g)
2500 CC Std. Bed 4WD	6.0L V-8	12,300 (i)
2500 CC Std. Bed 4WD	6.6L V-8 TD	13,900 (g)

Silverado/Sierra 2500 Reg Cab LB

2500 Reg Cab LB 2WD	6.0L V-8	10,500 (g)
2500 Reg Cab LB 2WD	6.0L V-8	13,000 (i)
2500 Reg Cab LB 2WD	6.6L V-8 TD	15,800 (g)
2500 Reg Cab LB 4WD	6.0L V-8	10,200 (g)
2500 Reg Cab LB 4WD	6.0L V-8	12,700 (i)
2500 Reg Cab LB 4WD	6.6L V-8 TD	15,500 (g)

Silverado/Sierra 2500 Ext Cab LB

2500 Ext Cab LB 2WD	6.0L V-8	10,000 (g)
2500 Ext Cab LB 2WD	6.0L V-8	12,500 (i)
2500 Ext Cab LB 2WD	6.6L V-8 TD	15,300 (g)
2500 Ext Cab LB 4WD	6.0L V-8	9,800 (g)
2500 Ext Cab LB 4WD	6.0L V-8	12,300 (i)
2500 Ext Cab LB 4WD	6.6L V-8 TD	13,800 (g)

Silverado/Sierra 2500 CC LB

2500 CC LB 2WD	6.0L V-8	9,900 (g)
2500 CC LB 2WD	6.0L V-8	12,400 (i)
2500 CC LB 2WD	6.6L V-8 TD	14,500 (g)
2500 CC LB 4WD	6.0L V-8	9,600 (g)
2500 CC LB 4WD	6.0L V-8	12,100 (i)
2500 CC LB 4WD	6.6L V-8 TD	13,000 (g)

Silverado/Sierra 3500 Reg Cab

3500 Reg Cab SRW 2WD	6.0L V-8	10,300 (g)
3500 Reg Cab SRW 2WD	6.0L V-8	12,800 (i)
3500 Reg Cab SRW 2WD	6.6L V-8 TD	15,800 (g)
3500 Reg Cab DRW 2WD	6.0L V-8	10,000 (g)
3500 Reg Cab DRW 2WD	6.0L V-8	12,500 (i)
3500 Reg Cab DRW 2WD	6.6L V-8 TD	16,800 (g)
3500 Reg Cab SRW 4WD	6.0L V-8	10,000 (g)
3500 Reg Cab SRW 4WD	6.0L V-8	12,500 (i)
3500 Reg Cab SRW 4WD	6.6L V-8 TD	15,400 (g)
3500 Reg Cab DRW 4WD	6.0L V-8	9,700 (g)
3500 Reg Cab DRW 4WD	6.0L V-8	12,200 (i)
3500 Reg Cab DRW 4WD	6.6L V-8 TD	16,500 (g)

Silverado/Sierra 3500 Ext Cab

3500 Ext Cab SRW 2WD	6.0L V-8	9,900 (g)
3500 Ext Cab SRW 2WD	6.0L V-8	12,400 (i)
3500 Ext Cab SRW 2WD	6.6L V-8 TD	15,400 (g)
3500 Ext Cab DRW 2WD	6.0L V-8	9,500 (g)
3500 Ext Cab DRW 2WD	6.0L V-8	12,000 (i)
3500 Ext Cab DRW 2WD	6.6L V-8 TD	16,300 (g)
3500 Ext Cab SRW 4WD	6.0L V-8	9,600 (g)
3500 Ext Cab SRW 4WD	6.0L V-8	12,100 (i)
3500 Ext Cab SRW 4WD	6.6L V-8 TD	14,900 (g)
3500 Ext Cab DRW 4WD	6.0L V-8	9,200 (g)
3500 Ext Cab DRW 4WD	6.0L V-8	11,700 (i)
3500 Ext Cab DRW 4WD	6.6L V-8 TD	16,100 (g)

Silverado/Sierra 3500 CC

3500 CC SRW 2WD	6.0L V-8	9,700 (g)
3500 CC SRW 2WD	6.0L V-8	12,200 (i)
3500 CC SRW 2WD	6.6L V-8 TD	15,100 (g)
3500 CC DRW 2WD	6.0L V-8	9,300 (g)
3500 CC DRW 2WD	6.0L V-8	11,800 (i)
3500 CC DRW 2WD	6.6L V-8 TD	16,200 (g)
3500 CC SRW 4WD	6.0L V-8	9,400 (g)
3500 CC SRW 4WD	6.0L V-8	11,900 (i)
3500 CC SRW 4WD	6.6L V-8 TD	14,800 (g)
3500 CC DRW 4WD	6.0L V-8	9,100 (g)
3500 CC DRW 4WD	6.0L V-8	11,600 (i)
3500 CC DRW 4WD	6.6L V-8 TD	15,900 (g)

Chevy Tahoe and Suburban, GMC Yukon, Yukon XL, Yukon and Yukon XL Denali 1500 Series

Tahoe/Yukon 2WD	4.8L V-8	4,500 (c)
Tahoe/Yukon 2WD	4.8L V-8	4,800 (c)
Tahoe/Yukon 2WD	5.3L V-8	5,400 (b)
Tahoe/Yukon 2WD	5.3L V-8	5,900 (e)
Tahoe/Yukon 2WD	5.3L V-8	8,400 (e,p)
Tahoe/Yukon 2WD	6.2L V-8	8,500 (e)
Tahoe/Yukon Two-Mode Hybrid, 2WD	6.0L V-8	6,200
Tahoe/Yukon 4WD	5.3L V-8	5,700
Tahoe/Yukon 4WD	5.3L V-8	8,200 (g)
Tahoe/Yukon 4WD	6.2L V-8	8,100
Tahoe/Yukon Two-Mode Hybrid, 4WD	6.0L V-8	6,000

Suburban/Yukon XL 2WD	5.3L V-8	5,100 (b)
Suburban/Yukon XL 2WD	5.3L V-8	5,600 (e)
Suburban/Yukon XL 2WD	5.3L V-8	8,100 (e,p)
Suburban/Yukon XL 2WD	6.0L V-8	8,100
Suburban/Yukon XL 4WD	5.3L V-8	5,400 (e)
Suburban/Yukon XL 4WD	5.3L V-8	7,900 (e,p)
Suburban/Yukon XL 4WD	6.0L V-8	7,900
Yukon Denali 2WD	6.2L V-8	8,100
Yukon Denali AWD	6.2L V-8	8,100
Yukon XL Denali 2WD	6.2L V-8	7,600
Yukon XL Denali AWD	6.2L V-8	7,900

Chevy Suburban, GMC Yukon XL 2500

2500 Long Wheelbase 2WD	6.0L V-8	9,600
2500 Long Wheelbase 4WD	6.0L V-8	9,300

Chevy Trailblazer/GMC Envoy/Envoy Denali

Trailblazer/Envoy 2WD	4.2L I-6	5,400/5,300 (e)
Trailblazer/Envoy 2WD	4.2L I-6	5,900/5,800 (g)
Trailblazer/Envoy 2WD	4.2L I-6	6,400 (j)/6,300 (i)
Trailblazer/Envoy 2WD	5.3L V-8	6,300 (e)/6,100 (e)
Trailblazer/Envoy 2WD	5.3L V-8	6,800 (g)/6,600 (g)
Trailblazer/Envoy 4WD	4.2L I-6	5,200 (e)
Trailblazer/Envoy 4WD	4.2L I-6	5,700 (g)
Trailblazer/Envoy 4WD	4.2L I-6	6,200 (i)
Trailblazer/Envoy 4WD	5.3L V-8	6,100 (e)/6,000 (e)
Trailblazer/Envoy 4WD	5.3L V-8	6,600 (g)/6,500 (g)
Trailblazer SS 2WD	6.0L V-8	6,800 (i)
Trailblazer SS AWD	6.0L V-8	6,600 (i)

Key to GM Section

<i>a</i> = Automatic Transmission	<i>AWD</i> = All Wheel Drive
<i>a4</i> = Automatic Transmission, four speed	<i>CC</i> = Crew Cab
<i>a5</i> = Automatic Transmission, five speed	<i>LB</i> = 8-foot bed
<i>a6</i> = Automatic Transmission, six speed	<i>Shortbed</i> = 5-foot 9-inch bed
<i>m</i> = Manual Transmission	<i>Std. Bed</i> = 6 1/2-foot bed
<i>b</i> = 3.08:1 axle ratio	<i>SWB</i> = Short Wheelbase
<i>d</i> = 3.23:1 axle ratio	<i>LWB</i> = Long Wheelbase
<i>e</i> = 3.42:1 axle ratio	<i>DRW</i> = Dual Rear Wheels
<i>g</i> = 3.73:1 axle ratio	<i>SRW</i> = Single Rear Wheel
<i>i</i> = 4.10:1 axle ratio	<i>CV</i> = Cargo Van
<i>p</i> = Cooling-package required	<i>PV</i> = Passenger Van
	<i>TD</i> = Turbodiesel
	<i>t</i> = Tow package required

CHRYSLER/DODGE

Chrysler 300	3.5L V-6	2,000
Chrysler 300	5.7L V-8	2,000
Aspen Limited 2WD	4.7L V-8	4,400 (c)
Aspen Limited 2WD	4.7L V-8	5,900 (f)
Aspen Limited 2WD	5.7L V-8	5,900 (c)
Aspen Limited 2WD	5.7L V-8	8,900 (h)
Aspen Limited 4WD	4.7L V-8	5,750 (f)
Aspen Limited 4WD	5.7L V-8	7,200 (f)
Aspen Limited 4WD	5.7L V-8	8,700 (h)
Aspen Limited 4WD hybrid	5.7L V-8	6,000

Caliber	2.4L I-4	2,000 (t)
Charger	3.5L V-6	2,000
Charger	5.7L V-8	2,000
Grand Caravan	3.3L V-6	2,000 (t)
Grand Caravan	3.8L V-6	3,600 (t)
Grand Caravan	4.0L V-6	3,600 (t)
Journey	3.5L V-6	3,500 (t)
Town and Country	3.3L V-6	2,000 (t)
Town and Country	3.8L V-6	3,600 (t)
Town and Country	4.0L V-6	3,600 (t)

Dodge Dakota

Dakota Ext Cab Shortbed 2WD	3.7L V-6	3,350 (m6,c)
Dakota Ext Cab Shortbed 2WD	3.7L V-6	4,700 (a4,f)
Dakota Ext Cab Shortbed 2WD	3.7L V-6	5,000 (a4,h)
Dakota Ext Cab Shortbed 2WD	4.7L V-8	6,000 (a5,f)
Dakota Ext Cab Shortbed 2WD	4.7L V-8	7,200 (a5,h)
Dakota Ext Cab Shortbed 4WD	3.7L V-6	3,950 (m6,f)
Dakota Ext Cab Shortbed 4WD	3.7L V-6	4,800 (a4,h)
Dakota Ext Cab Shortbed 4WD	4.7L V-8	5,800 (a5,f)
Dakota Ext Cab Shortbed 4WD	4.7L V-8	7,000 (a5,g)
Dakota CC Shortbed 2WD	3.7L V-6	3,200 (m6,c)
Dakota CC Shortbed 2WD	3.7L V-6	4,500 (a4,f)
Dakota CC Shortbed 2WD	3.7L V-6	4,800 (a4,h)
Dakota CC Shortbed 2WD	4.7L V-8	5,850 (a5,f)
Dakota CC Shortbed 2WD	4.7L V-8	7,050 (a5,h)
Dakota CC Shortbed 4WD	3.7L V-8	3,800 (m6,f)
Dakota CC Shortbed 4WD	3.7L V-8	4,800 (a4,h)
Dakota CC Shortbed 4WD	4.7L V-8	5,650 (a5,f)
Dakota CC Shortbed 4WD	4.7L V-8	6,850 (a5,h)

Manufacturer's Note: V-6 weight ratings shown are for ST trim levels, V-8 ratings are for SXT trim levels. Actual ratings may differ slightly between V-6 ST and SXT, depending on model (Extended Cab or Crew Cab).

Dodge Durango

Durango 2WD	3.7L V-6	3,800 (a4,h)
Durango 2WD	4.7L V-8	4,550 (a5,c)
Durango 2WD	4.7L V-8	6,000 (a5,f)
Durango 2WD	5.7L V-8	5,950 (a5,c)
Durango 2WD	5.7L V-8	8,950 (a5,h)
Durango 4WD	4.7L V-8	5,900 (a5,f)
Durango 4WD	5.7L V-8	7,250 (a5,f)
Durango 4WD	5.7L V-8	8,750 (a5,h)
Durango 4WD hybrid	5.7L V-8	6,000

Manufacturer's Note: Weights shown are the highest available for a given model/engine. Weights can vary depending on the model and equipment chosen.

Ram 1500 Regular Cab Shortbed

1500 Reg Cab SB 2WD	3.7L V-6	3,300 (m,h)
1500 Reg Cab SB 2WD	3.7L V-6	3,800 (a4,f,h)
1500 Reg Cab SB 2WD	4.7L V-8	6,650 (a5,f)
1500 Reg Cab SB 2WD	4.7L V-8	7,650 (a5,h)
1500 Reg Cab SB 2WD	5.7L V-8	6,100 (a5,c)
1500 Reg Cab SB 2WD	5.7L V-8	8,100 (a5,f)
1500 Reg Cab SB 2WD	5.7L V-8	9,100 (a5,h)

1500 Reg Cab SB 4WD	4.7L V-8	6,400 (a5,f*)
1500 Reg Cab SB 4WD	4.7L V-8	7,400 (a5,h*)
1500 Reg Cab SB 4WD	5.7L V-8	7,900 (a5,f*)
1500 Reg Cab SB 4WD	5.7L V-8	8,900 (a5,h*)

Ram 1500 Regular Cab Longbed

1500 Reg Cab LB 2WD	3.7L V-6	3,100 (m,h)
1500 Reg Cab LB 2WD	3.7L V-6	3,650 (a4,h)
1500 Reg Cab LB 2WD	4.7L V-8	5,500 (a5,f)
1500 Reg Cab LB 2WD	4.7L V-8	7,500 (a5,h)
1500 Reg Cab LB 2WD	5.7L V-8	6,000 (a5,c)
1500 Reg Cab LB 2WD	5.7L V-8	8,000 (a5,f)
1500 Reg Cab LB 2WD	5.7L V-8	9,000 (a5,h)
1500 Reg Cab LB 4WD	4.7L V-8	6,350 (a5,f*)
1500 Reg Cab LB 4WD	4.7L V-8	7,250 (a5,h*)
1500 Reg Cab LB 4WD	5.7L V-8	7,750 (a5,f*)
1500 Reg Cab LB 4WD	5.7L V-8	8,750 (a5,h*)

*Ratings for LT265 tires. LT275 tires rated 50-100 lb less depending on model.

Ram 1500 Quad Cab

Ram 1500 Quad Cab 2WD	3.7L V-6	2,950 (m,h)
Ram 1500 Quad Cab 2WD	3.7L V-6	3,450 (a4,h)
Ram 1500 Quad Cab 2WD	4.7L V-8	6,350 (a5,f)
Ram 1500 Quad Cab 2WD	4.7L V-8	7,350 (a5,h)
Ram 1500 Quad Cab 2WD	5.7L V-8	5,800 (a5,c)
Ram 1500 Quad Cab 2WD	5.7L V-8	7,800 (a5,f)
Ram 1500 Quad Cab 2WD	5.7L V-8	8,800 (a5,h)
Ram 1500 Quad Cab 4WD	4.7L V-8	6,100 (a5,f)
Ram 1500 Quad Cab 4WD	4.7L V-8	7,100 (a5,h)
Ram 1500 Quad Cab 4WD	5.7L V-8	7,550 (a5,f)
Ram 1500 Quad Cab 4WD	5.7L V-8	8,550 (a5,h)

Ram 1500 Crew Cab

Ram 1500 CC 2WD	4.7L V-8	6,250 (a5,f**)
Ram 1500 CC 2WD	4.7L V-8	7,250 (a5,h**)
Ram 1500 CC 2WD	5.7L V-8	5,700 (a5,c**)
Ram 1500 CC 2WD	5.7L V-8	7,700 (a5,f**)
Ram 1500 CC 2WD	5.7L V-8	8,700 (a5,h**)
Ram 1500 CC 4WD	4.7L V-8	6,000 (a5,f**)
Ram 1500 CC 4WD	4.7L V-8	7,000 (a5,h**)
Ram 1500 CC 4WD	5.7L V-8	7,450 (a5,f**)
Ram 1500 CC 4WD	5.7L V-8	8,450 (a5,h**)

**Models with Rambox are rated 100 lb less.

Manufacturer's Note: Ratings shown are for base ST models with 17-inch wheels. SLT and Laramie models, and/or models with 20-inch wheels have lower ratings, depending on model and equipment. See dealer for details.

Ram 2500 Regular Cab Longbed

Ram 2500 LB 2WD	5.7L V-8	9,550 (a5,g)
Ram 2500 LB 2WD	5.7L V-8	11,550 (a5,i)
Ram 2500 LB 2WD	6.7L I-6 TD	12,450 (m6,e)
Ram 2500 LB 2WD	6.7L I-6 TD	13,450 (m6,g)
Ram 2500 LB 2WD	6.7L I-6 TD	10,550 (a6,e)

Ram 2500 LB 2WD	6.7L I-6 TD	13,550 (a6,g)
Ram 2500 LB 2WD	6.7L I-6 TD	13,550 (a6,i)
Ram 2500 LB 4WD	5.7L V-8	9,050 (a5,g)
Ram 2500 LB 4WD	5.7L V-8	11,050 (a5,i)
Ram 2500 LB 4WD	6.7L I-6 TD	12,100 (m6,e)
Ram 2500 LB 4WD	6.7L I-6 TD	13,100 (m6,g)
Ram 2500 LB 4WD	6.7L I-6 TD	10,200 (a6,e)
Ram 2500 LB 4WD	6.7L I-6 TD	13,200 (a6,g)
Ram 2500 LB 4WD	6.7L I-6 TD	13,200 (a6,i)

Ram 2500 Quad Cab Shortbed

Ram 2500 Quad Cab SB 2WD	5.7L V-8	9,250 (a5,g)
Ram 2500 Quad Cab SB 2WD	5.7L V-8	11,250 (a5,i)
Ram 2500 Quad Cab SB 2WD	6.7L I-6 TD	12,300 (m6,e)
Ram 2500 Quad Cab SB 2WD	6.7L I-6 TD	13,300 (m6,g)
Ram 2500 Quad Cab SB 2WD	6.7L I-6 TD	10,400 (a6,e)
Ram 2500 Quad Cab SB 2WD	6.7L I-6 TD	13,400 (a6,g)
Ram 2500 Quad Cab SB 2WD	6.7L I-6 TD	13,400 (a6,i)
Ram 2500 Quad Cab SB 4WD	5.7L V-8	8,800 (a5,g)
Ram 2500 Quad Cab SB 4WD	5.7L V-8	10,800 (a5,i)
Ram 2500 Quad Cab SB 4WD	5.7L V-8	10,500 (a5,i*)
Ram 2500 Quad Cab SB 4WD	6.7L I-6 TD	11,850 (m6,e)
Ram 2500 Quad Cab SB 4WD	6.7L I-6 TD	12,850 (m6,g)
Ram 2500 Quad Cab SB 4WD	6.7L I-6 TD	9,950 (a6,e)
Ram 2500 Quad Cab SB 4WD	6.7L I-6 TD	12,950 (a6,g)
Ram 2500 Quad Cab SB 4WD	6.7L I-6 TD	12,950 (a6,i)

*Power Wagon model

Ram 2500 Quad Cab Longbed

Ram 2500 Quad Cab LB 2WD	5.7L V-8	9,100 (a5,g)
Ram 2500 Quad Cab LB 2WD	5.7L V-8	11,100 (a5,i)
Ram 2500 Quad Cab LB 2WD	6.7L I-6 TD	12,200 (m6,e)
Ram 2500 Quad Cab LB 2WD	6.7L I-6 TD	13,200 (m6,g)
Ram 2500 Quad Cab LB 2WD	6.7L I-6 TD	10,250 (a6,e)
Ram 2500 Quad Cab LB 2WD	6.7L I-6 TD	13,250 (a6,g)
Ram 2500 Quad Cab LB 2WD	6.7L I-6 TD	13,250 (a6,i)
Ram 2500 Quad Cab LB 4WD	5.7L V-8	8,650 (a5,g)
Ram 2500 Quad Cab LB 4WD	5.7L V-8	10,650 (a5,i)
Ram 2500 Quad Cab LB 4WD	6.7L I-6 TD	11,700 (m6,e)
Ram 2500 Quad Cab LB 4WD	6.7L I-6 TD	12,700 (m6,g)
Ram 2500 Quad Cab LB 4WD	6.7L I-6 TD	9,800 (a6,e)
Ram 2500 Quad Cab LB 4WD	6.7L I-6 TD	12,800 (a6,g)
Ram 2500 Quad Cab LB 4WD	6.7L I-6 TD	12,800 (a6,i)

Ram 2500 Mega Cab

Ram 2500 Mega Cab 2WD	5.7L V-8	8,850 (a5,g)
Ram 2500 Mega Cab 2WD	5.7L V-8	10,850 (a5,i)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	11,850 (m6,e)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	12,850 (m6,g)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	9,950 (a6,e)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	12,950 (a6,g)
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	12,950 (a6,i)
Ram 2500 Mega Cab 4WD	5.7L V-8	8,500 (a5,i)
Ram 2500 Mega Cab 4WD	5.7L V-8	10,500 (a5,g)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	11,550 (m6,e)

Ram 2500 Mega Cab 4WD	6.7L I-6 TD	12,550 (m6,g)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	9,600 (a6,e)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	12,600 (a6,g)
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	12,600 (a6,j)

Ram 3500 Regular Cab Longbed

Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	12,100 (m6,e)
Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	14,100 (m6,g)
Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	10,150 (a6,e)
Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	14,150 (a6,g)
Ram 3500 Regular Cab LB DRW 2WD	6.7L I-6 TD	16,150 (a6,j)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	11,700 (m6,e)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	13,700 (m6,g)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	9,800 (a6,e)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	13,800 (a6,g)
Ram 3500 Regular Cab LB DRW 4WD	6.7L I-6 TD	16,800 (a6,j)

Ram 3500 Quad Cab Shortbed

Ram 3500 Quad Cab SB SRW 2WD	6.7L I-6 TD	12,300 (m6,e)
Ram 3500 Quad Cab SB SRW 2WD	6.7L I-6 TD	14,300 (m6,g)
Ram 3500 Quad Cab SB SRW 2WD	6.7L I-6 TD	10,350 (a6,e)
Ram 3500 Quad Cab SB SRW 2WD	6.7L I-6 TD	14,350 (a6,g)
Ram 3500 Quad Cab SB SRW 2WD	6.7L I-6 TD	16,350 (a6,j)
Ram 3500 Quad Cab SB SRW 4WD	6.7L I-6 TD	11,900 (m6,e)
Ram 3500 Quad Cab SB SRW 4WD	6.7L I-6 TD	13,900 (m6,g)
Ram 3500 Quad Cab SB SRW 4WD	6.7L I-6 TD	10,000 (a6,e)
Ram 3500 Quad Cab SB SRW 4WD	6.7L I-6 TD	14,000 (a6,g)
Ram 3500 Quad Cab SB SRW 4WD	6.7L I-6 TD	17,000 (a6,j)

Ram 3500 Quad Cab Longbed

Ram 3500 Quad Cab LB SRW 2WD	6.7L I-6 TD	12,150 (m6,e)
Ram 3500 Quad Cab LB SRW 2WD	6.7L I-6 TD	14,150 (m6,g)
Ram 3500 Quad Cab LB SRW 2WD	6.7L I-6 TD	10,200 (a6,e)
Ram 3500 Quad Cab LB SRW 2WD	6.7L I-6 TD	14,200 (a6,g)
Ram 3500 Quad Cab LB SRW 2WD	6.7L I-6 TD	16,200 (a6,j)
Ram 3500 Quad Cab LB DRW 2WD	6.7L I-6 TD	11,750 (m6,e)
Ram 3500 Quad Cab LB DRW 2WD	6.7L I-6 TD	13,750 (m6,g)
Ram 3500 Quad Cab LB DRW 2WD	6.7L I-6 TD	9,850 (a6,e)
Ram 3500 Quad Cab LB DRW 2WD	6.7L I-6 TD	13,850 (a6,g)
Ram 3500 Quad Cab LB DRW 2WD	6.7L I-6 TD	15,850 (a6,j)
Ram 3500 Quad Cab LB SRW 4WD	6.7L I-6 TD	11,750 (m6,e)
Ram 3500 Quad Cab LB SRW 4WD	6.7L I-6 TD	13,750 (m6,g)
Ram 3500 Quad Cab LB SRW 4WD	6.7L I-6 TD	9,850 (a6,e)
Ram 3500 Quad Cab LB SRW 4WD	6.7L I-6 TD	13,850 (a6,g)
Ram 3500 Quad Cab LB SRW 4WD	6.7L I-6 TD	16,850 (a6,j)
Ram 3500 Quad Cab LB DRW 4WD	6.7L I-6 TD	11,400 (m6,e)
Ram 3500 Quad Cab LB DRW 4WD	6.7L I-6 TD	13,400 (m6,g)
Ram 3500 Quad Cab LB DRW 4WD	6.7L I-6 TD	9,450 (a6,e)
Ram 3500 Quad Cab LB DRW 4WD	6.7L I-6 TD	13,450 (a6,g)
Ram 3500 Quad Cab LB DRW 4WD	6.7L I-6 TD	16,450 (a6,j)

Ram 3500 Mega Cab

Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	12,000 (m6,e)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	14,000 (m6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	10,050 (a6,e)

Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	14,050 (a6,g)
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,050 (a6,i)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	11,600 (m6,e)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	13,600 (m6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	9,650 (a6,e)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	13,650 (a6,g)
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	15,650 (a6,i)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	11,650 (m6,e)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	13,650 (m6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	9,700 (a6,e)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	13,700 (a6,g)
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,700 (a6,i)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	11,250 (m6,e)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	13,250 (m6,g)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	9,300 (a6,e)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	13,300 (a6,g)
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	16,300 (a6,i)

Ram 3500/4500/5500 Chassis Cab

3500 Regular Cab SRW 2WD	6.7L I-6 TD	12,500 (m,e)
3500 Regular Cab SRW 2WD	6.7L I-6 TD	17,500 (m,g/i)
3500 Regular Cab SRW 2WD	6.7L I-6 TD	16,450 (a6,g)
3500 Regular Cab SRW 2WD	6.7L I-6 TD	17,45 (a6,j)
3500 Regular Cab SRW 4WD	6.7L I-6 TD	12,250 (m,e)
3500 Regular Cab SRW 4WD	6.7L I-6 TD	17,250 (m,g/i)
3500 Regular Cab SRW 4WD	6.7L I-6 TD	16,200 (a6,g)
3500 Regular Cab SRW 4WD	6.7L I-6 TD	17,200 (a6,j)
3500 Regular Cab DRW 2WD	5.7L V-8	11,050 (a5,j)
3500 Regular Cab DRW 2WD	6.7L I-6 TD	12,200 (m,e)
3500 Regular Cab DRW 2WD	6.7L I-6 TD	17,200 (m,g/i)
3500 Regular Cab DRW 2WD	6.7L I-6 TD	17,150 (a6,j)
3500 Regular Cab DRW 4WD	5.7L V-8	10,800 (a5,j)
3500 Regular Cab DRW 4WD	6.7L I-6 TD	11,950 (m,e)
3500 Regular Cab DRW 4WD	6.7L I-6 TD	16,950 (m,g/i)
3500 Regular Cab DRW 4WD	6.7L I-6 TD	16,900 (a6,j)
3500 Quad Cab SRW 2WD	6.7L I-6 TD	12,100 (m,e)
3500 Quad Cab SRW 2WD	6.7L I-6 TD	17,100 (m,g/i)
3500 Quad Cab SRW 2WD	6.7L I-6 TD	16,050 (a6,g)
3500 Quad Cab SRW 2WD	6.7L I-6 TD	17,050 (a6,j)
3500 Quad Cab SRW 4WD	6.7L I-6 TD	11,900 (m,e)
3500 Quad Cab SRW 4WD	6.7L I-6 TD	16,900 (m,g/i)
3500 Quad Cab SRW 4WD	6.7L I-6 TD	15,850 (a6,g)
3500 Quad Cab SRW 4WD	6.7L I-6 TD	16,850 (a6,j)
3500 Quad Cab DRW 2WD	5.7L V-8	10,700 (a5,j)
3500 Quad Cab DRW 2WD	6.7L I-6 TD	11,850 (m,e)
3500 Quad Cab DRW 2WD	6.7L I-6 TD	16,850 (m,g/i)
3500 Quad Cab DRW 2WD	6.7L I-6 TD	16,750 (a6,j)
3500 Quad Cab DRW 4WD	5.7L V-8	10,450 (a5,j)
3500 Quad Cab DRW 4WD	6.7L I-6 TD	11,600 (m,e)
3500 Quad Cab DRW 4WD	6.7L I-6 TD	16,600 (m,g/i)
3500 Quad Cab DRW 4WD	6.7L I-6 TD	16,550 (a6,j)
4500 Regular Cab DRW 2WD	6.7L I-6 TD	18,400 (m)
4500 Regular Cab DRW 2WD	6.7L I-6 TD	18,350 (a6)
4500 Regular Cab DRW 4WD	6.7L I-6 TD	18,050 (m)
4500 Regular Cab DRW 4WD	6.7L I-6 TD	18,000 (a6)

4500 Quad Cab DRW 2WD	6.7L I-6 TD	18,000 (m)
4500 Quad Cab DRW 2WD	6.7L I-6 TB	17,900 (a)
4500 Quad Cab DRW 4WD	6.7L I-6 TD	17,700 (m)
4500 Quad Cab DRW 4WD	6.7L I-6 TD	17,600 (a)
5500 Regular Cab DRW 2WD	6.7L I-6 TD	18,350 (m)
5500 Regular Cab DRW 2WD	6.7L I-6 TD	18,300 (a6)
5500 Regular Cab DRW 4WD	6.7L I-6 TD	18,000 (m)
5500 Regular Cab DRW 4WD	6.7L I-6 TD	17,950
5500 Quad Cab DRW 2WD	6.7L I-6 TD	17,950 (m)
5500 Quad Cab DRW 2WD	6.7L I-6 TD	17,900 (a6)
5500 Quad Cab DRW 4WD	6.7L I-6 TD	17,600 (m)
5500 Quad Cab DRW 4WD	6.7L I-6 TD	17,550

Sprinter

Sprinter	All	5,000
----------	-----	-------

Manufacturer's Note: Weights shown are for 60-inch cab-to-axle models in 3T trim. Longer cab-to-axle lengths will reduce tow rating by as much as 300 lb, depending on model. See dealer for details.

Key to Dodge Section

a = Automatic Transmission	h = 3.92:1 axle ratio
a4 = Automatic Transmission, four speed	i = 4.10:1 axle ratio
a5 = Automatic Transmission, five speed	CC = Crew Cab
a6 = Automatic Transmission, six speed	QC = Quad Cab
m = Manual Transmission	LB = Longbed
c = 3.21:1 axle ratio	SB = Shortbed
e = 3.42:1 axle ratio	SRW = Single Rear Wheels
f = 3.55:1 axle ratio	DRW = Dual Rear Wheels (dually)
g = 3.73:1 axle ratio	TD = Turbodiesel
	t = Tow Package Required

FORD**E-Series Van/Wagon**

E-150 Van	4.6L V-8	6,000 (e)
E-150 Van	4.6L V-8	6,500 (f)
E-150 Van	5.4L V-8	7,400 (e)
E-250 Van	4.6L V-8	6,000 (e)
E-250 Van	4.6L V-8	6,400 (f)
E-250 Van	5.4L V-8	7,400 (f)
E-250 Extended Van	4.6L V-8	5,900 (e)
E-250 Extended Van	4.6L V-8	6,300 (f)
E-250 Extended Van	5.4L V-8	7,300 (e)
E-350 Super Duty Van	5.4L V-8	7,300 (e)
E-350 Super Duty Van	5.4L V-8	7,300 (f)
E-350 Super Duty Van	6.8L V-10	9,100 (e)
E-350 Super Duty Van	6.8L V-10	10,000 (f)
E-350 Super Duty Van	6.0L V-8 TD	9,500 (d)
E-350 Super Duty Van	6.0L V-8 TD	10,000 (f)
E-350 Super Duty Extended Van	5.4L V-8	7,200 (e)
E-350 Super Duty Extended Van	5.4L V-8	7,200 (f)
E-350 Super Duty Extended Van	6.8L V-10	9,000 (e)
E-350 Super Duty Extended Van	6.8L V-10	10,000 (f)

E-350 Super Duty Extended Van	6.0L V-8 TD	9,400 (d)
E-350 Super Duty Extended Van	6.0L V-8 TD	10,000 (f)
E-150 Wagon	4.6L V-8	6,000 (f)
E-150 Wagon	5.4L V-8	7,000 (e)
E-350 Super Duty Wagon	5.4L V-8	6,700 (e)
E-350 Super Duty Wagon	6.8L V-10	8,500 (e)
E-350 Super Duty Wagon	6.0L V-8 TD	8,900 (e)
E-350 Super Duty Wagon	6.0L V-8 TD	10,000 (f)
E-350 Super Duty Ext. Wagon	5.4L V-8	6,500 (e)
E-350 Super Duty Ext. Wagon	6.8L V-10	10,000 (f)

Edge, Escape, Explorer, Expedition, Flex

Edge	3.5L V-6	2,000
Edge	3.5L V-6	3,500 (t)
Escape 2WD/4WD	3.0L V-6	3,500 (t)
Explorer	4.0L V-6	3,500 (d,all)
Explorer 2WD	4.0L V-6	5,375 (e)
Explorer 4WD/AWD	4.0L V-6	5,205 (e)
Explorer	4.6L V-8	3,500d (all)
Explorer 2WD	4.6L V-8	7,285 (d,t)
Explorer 4WD/AWD	4.6L V-8	7,115 (d,t)
Sport Trac 2WD	4.0L V-6	5,250 (e)
Sport Trac 2WD/AWD	4.0L V-6	5,080 (e)
Sport Trac 2WD	4.6L V-8	7,150 (d)
Sport Trac 2WD/AWD	4.6L V-8	6,990 (d)
Expedition 2WD/4WD	5.4L V-8	6,000 (all)
Expedition 2WD	5.4L V-8	9,200 (t)
Expedition 4WD	5.4L V-8	9,000 (t)
Expedition EL 2WD/4WD	5.4L V-8	6,000 (all)
Expedition EL 2WD	5.4L V-8	8,900 (t)
Expedition EL 4WD	5.4L V-8	8,700 (t)
Flex	3.5L V-6	2,000
Flex	3.5L V-6	4,500 (t)

Ranger

Ranger Regular Cab SB 2WD	2.3L I-4	2,240
Ranger Regular Cab LB 2WD	2.3L I-4	2,220
Ranger Regular Cab LB 2WD	4.0L V-6	6,000
Ranger SuperCab 2WD	2.3L I-4	2,080 (a,f)
Ranger SuperCab 2WD	4.0L V-6	3,400 (m)
Ranger SuperCab 2WD	4.0L V-6	3,220 (m*)
Ranger SuperCab 2WD	4.0L V-6	5,860 (a,d)
Ranger SuperCab 2WD	4.0L V-6	5,580 (a,d*)
Ranger SuperCab 4WD	4.0L V-6	3,140 (m)
Ranger SuperCab 4WD	4.0L V-6	5,600 (a,e)
Ranger SuperCab 4WD	4.0L V-6	5,600 (a,f)

* = Sport model

F-150

F-150 Reg. Cab Std. Bed 2WD	4.6L V-8 2V	5,400 (a4,d)
F-150 Reg. Cab LB 2WD	4.6L V-8 2V	5,900 (a4,e)
F-150 Reg. Cab LB 2WD	4.6L V-8 2V	5,500 (a4,d)
F-150 Reg. Cab LB 2WD	4.6L V-8 2V	6,000 (a4,e)
F-150 Reg. Cab LB 2WD	4.6L V-8 3V	8,000 (a6,c)
F-150 Reg. Cab LB 2WD	4.6L V-8 3V	8,400 (a6,d)

F-150 Reg. Cab LB 2WD	5.4L V-8	8,000 (a6,b)
F-150 Reg. Cab LB 2WD	5.4L V-8	9,800 (a6,d)
F-150 Reg. Cab LB 2WD	5.4L V-8	11,300 (a6,e,t)
F-150 Reg. Cab Std. Bed 4WD	4.6L V-8 2V	5,700 (a4,e)
F-150 Reg. Cab Std. Bed 4WD	4.6L V-8 3V	7,700 (a6,d)
F-150 Reg. Cab Std. Bed 4WD	4.6L V-8 3V	8,000 (a6,e)
F-150 Reg. Cab Std. Bed 4WD	5.4L V-8	7,700 (a6,c)
F-150 Reg. Cab Std. Bed 4WD	5.4L V-8	8,600 (a6,d/e)
F-150 Reg. Cab LB 4WD	4.6L V-8 2V	5,800 (a4,e)
F-150 Reg. Cab LB 4WD	4.6L V-8 3V	7,800 (a6,d)
F-150 Reg. Cab LB 4WD	4.6L V-8 3V	8,200 (a6,e)
F-150 Reg. Cab LB 4WD	5.4L V-8	7,800 (a6,c)
F-150 Reg. Cab LB 4WD	5.4L V-8	9,500 (a6,d/e)
F-150 Reg. Cab LB 4WD	5.4L V-8	11,300 (a6,e,t)
F-150 SuperCab Shortbed 2WD	4.6L V-8 2V	5,200 (a4,d)
F-150 SuperCab Shortbed 2WD	4.6L V-8 2V	5,700 (a4,e)
F-150 SuperCab Shortbed 2WD	4.6L V-8 3V	7,800 (a6,c)
F-150 SuperCab Shortbed 2WD	4.6L V-8 3V	8,200 (a6,d)
F-150 SuperCab Shortbed 2WD	5.4L V-8	7,800 (a6,b)
F-150 SuperCab Shortbed 2WD	5.4L V-8	8,600 (a6,d)
F-150 SuperCab Std. Bed 2WD	4.6L V-8 2V	5,300 (a4,d)
F-150 SuperCab Std. Bed 2WD	4.6L V-8 2V	5,800 (a4,e)
F-150 SuperCab Std. Bed 2WD	4.6L V-8 3V	8,200 (a6,c)
F-150 SuperCab Std. Bed 2WD	4.6L V-8 3V	9,500 (a6,d)
F-150 SuperCab Std. Bed 2WD	5.4L V-8	8,600 (a6,b)
F-150 SuperCab Std. Bed 2WD	5.4L V-8	9,800 (a6,d)
F-150 SuperCab Std. Bed 2WD	5.4L V-8	11,300 (a6,e,t)
F-150 SuperCab LB 2WD	5.4L V-8	11,300 (a6,e)
F-150 SuperCab Shortbed 4WD	4.6L V-8 2V	5,400 (a4,e)
F-150 SuperCab Shortbed 4WD	4.6L V-8 3V	7,500 (a6,d)
F-150 SuperCab Shortbed 4WD	4.6L V-8 3V	8,000 (a6,e)
F-150 SuperCab Shortbed 4WD	5.4L V-8	7,600 (a6,c)
F-150 SuperCab Shortbed 4WD	5.4L V-8	8,400 (a6,d/e)
F-150 SuperCab Std. Bed 4WD	4.6L V-8 2V	5,500 (a4,e)
F-150 SuperCab Std. Bed 4WD	4.6L V-8 3V	7,900 (a6,d)
F-150 SuperCab Std. Bed 4WD	4.6L V-8 3V	9,400 (a6,e)
F-150 SuperCab Std. Bed 4WD	5.4L V-8	8,300 (a6,c)
F-150 SuperCab Std. Bed 4WD	5.4L V-8	9,700 (a6,d/e)
F-150 SuperCab Std. Bed 4WD	5.4L V-8	11,200 (a6,d/e,t)
F-150 SuperCab LB 4WD	5.4L V-8	11,000 (a6,e)
F-150 SuperCrew Cab Shortbed 2WD	4.6L V-8 2V	5,200 (a4,d)
F-150 SuperCrew Cab Shortbed 2WD	4.6L V-8 2V	5,700 (a4,e)
F-150 SuperCrew Cab Shortbed 2WD	4.6L V-8 3V	7,500 (a6,b)
F-150 SuperCrew Cab Shortbed 2WD	4.6L V-8 3V	8,100 (a6,c)
F-150 SuperCrew Cab Shortbed 2WD	4.6L V-8 3V	9,500 (a6,d)
F-150 SuperCrew Cab Shortbed 2WD	5.4L V-8	8,500 (a6,b)
F-150 SuperCrew Cab Shortbed 2WD	5.4L V-8	9,800 (a6,d)
F-150 SuperCrew Cab Shortbed 2WD	5.4L V-8	11,300 (a6,e)
F-150 SuperCrew Cab Shortbed 4WD	4.6L V-8 3V	7,800 (a6,d)
F-150 SuperCrew Cab Shortbed 4WD	4.6L V-8 3V	9,300 (a6,e)
F-150 SuperCrew Cab Shortbed 4WD	5.4L V-8	8,200 (a6,c)
F-150 SuperCrew Cab Shortbed 4WD	5.4L V-8	9,700 (a6,d/e)
F-150 SuperCrew Cab Shortbed 4WD	5.4L V-8	11,200 (a6,d/e,t)
F-150 SuperCrew Cab Std. Bed 2WD	4.6L V-8 2V	5,100 (a4,d)
F-150 SuperCrew Cab Std. Bed 2WD	4.6L V-8 2V	5,600 (a4,e)

F-150 SuperCrew Cab Std. Bed 2WD	4.6L V-8 3V	8,000 (a6,c)
F-150 SuperCrew Cab Std. Bed 2WD	4.6L V-8 3V	9,300 (a6,d)
F-150 SuperCrew Cab Std. Bed 2WD	5.4L V-8	8,400 (b)
F-150 SuperCrew Cab Std. Bed 2WD	5.4L V-8	9,700 (c)
F-150 SuperCrew Cab Std. Bed 2WD	5.4L V-8	11,300 (e)
F-150 SuperCrew Cab Std. Bed 4WD	4.6L V-8 3V	7,600 (a6,d)
F-150 SuperCrew Cab Std. Bed 4WD	4.6L V-8 3V	9,200 (a6,e)
F-150 SuperCrew Cab Std. Bed 4WD	5.4L V-8	8,100 (a6,c)
F-150 SuperCrew Cab Std. Bed 4WD	5.4L V-8	9,600 (a6,d/e)
F-150 SuperCrew Cab Std. Bed 4WD	5.4L V-8	11,100 (a6,d/e,t)

F-250/F-350/F-450 Super Duty, Conventional Towing, Automatic Transmission

F-250/350 Reg. Cab SRW 2WD	5.4L V-8	10,200 (e)
F-250/350 Reg. Cab SRW 2WD	5.4L V-8	12,200 (f)
F-250/350 Reg. Cab SRW 2WD	6.8L V-10	12,500 (f/g)
F-250/350 Reg. Cab SRW 2WD	6.4L V-8 TD	12,500 (all)
F-250/350 Reg. Cab SRW 4WD	5.4L V-8	9,800 (e)
F-250/350 Reg. Cab SRW 4WD	5.4L V-8	11,800 (f)
F-250/350 Reg. Cab SRW 4WD	6.8L V-10	12,500 (f/g)
F-250/350 Reg. Cab SRW 4WD	6.4L V-8 TD	12,500 (all)
F-350 Reg. Cab DRW 2WD	5.4L V-8	12,200 (f)
F-350 Reg. Cab DRW 2WD	6.8L V-10	15,000 (all)
F-350 Reg. Cab DRW 2WD	6.4L V-8 TD	15,000 (all)
F-350 Reg. Cab DRW 4WD	5.4L V-8	11,800 (f)
F-350 Reg. Cab DRW 4WD	6.8L V-10	14,600 (f)
F-350 Reg. Cab DRW 4WD	6.8L V-10	15,000 (g)
F-250/F350 SC SRW 2WD	5.4L V-8	10,000 (e)
F-250/F350 SC SRW 2WD	5.4L V-8	12,000 (f)
F-250/F350 SC SRW 2WD	6.8L V-10	12,500 (all)
F-250/F350 SC SRW 2WD	6.4L V-8 TD	12,500 (all)
F-250/F350 SC SRW 4WD	5.4L V-8	9,500 (e)
F-250/F350 SC SRW 4WD	5.4L V-8	11,500 (f)
F-250/F350 SC SRW 4WD	6.8L V-10	12,500 (all)
F-250/F350 SC SRW 4WD	6.4L V-8 TD	12,500 (all)
F-350 SC DRW 2WD	5.4L V-8	11,800 (f)
F-350 SC DRW 2WD	6.8 V-10	14,700 (f)
F-350 SC DRW 2WD	6.8 V-10	15,000 (g)
F-350 SC DRW 2WD	6.4L V-8 TD	15,000 (all)
F-350 SC DRW 4WD	5.4L V-8	11,400 (f)
F-350 SC DRW 4WD	6.8 V-10	14,300 (f)
F-350 SC DRW 4WD	6.8 V-10	15,000 (g)
F-350 SC DRW 4WD	6.4L V-8 TD	15,000 (all)
F-250/350 CC SRW 2WD	5.4L V-8	9,700 (e)
F-250/350 CC SRW 2WD	5.4L V-8	11,700 (f)
F-250/350 CC SRW 2WD	6.8L V-10	12,500 (all)
F-250/350 CC SRW 2WD	6.4L V-8 TD	12,500 (all)
F-250/350 CC SRW 4WD	5.4L V-8	9,300 (e)
F-250/350 CC SRW 4WD	5.4L V-8	11,300 (f)
F-250/350 CC SRW 4WD	6.8L V-10	12,500 (all)
F-250/350 CC SRW 4WD	6.4L V-8 TD	12,500 (all)
F-350 CC DRW 2WD	6.8L V-10	14,500 (f)
F-350 CC DRW 2WD	6.8L V-10	15,000 (g)
F-350 CC DRW 2WD	6.4L V-8 TD	15,000 (all)
F-350 CC DRW 4WD	6.8L V-10	14,000 (f)

F-350 CC DRW 4WD	6.8L V-10	15,000 (g)
F-350 CC DRW 4WD	6.4L V-8 TD	15,000 (all)
F-450 DRW 2WD	6.4L V-8 TD	16,000 (g)
F-450 DRW 4WD	6.4L V-8 TD	16,000 (g)

F-250/F-350/F-450 Super Duty, Fifth-Wheel Towing, Automatic Transmission

F-250/F-350 Regular Cab SRW 2WD	5.4L V-8	10,200 (e)
F-250/F-350 Regular Cab SRW 2WD	5.4L V-8	12,200 (f)
F-250/F-350 Regular Cab SRW 2WD	6.8L V-10	15,000 (f)
F-250/F-350 Regular Cab SRW 2WD	6.8L V-10	16,800 (g)
F-250/F-350 Regular Cab SRW 2WD	6.4L V-8 TD	16,300 (d/e)
F-250/F-350 Regular Cab SRW 4WD	5.4L V-8	9,800 (e)
F-250/F-350 Regular Cab SRW 4WD	5.4L V-8	11,800 (f)
F-250/F-350 Regular Cab SRW 4WD	6.8L V-10	14,600 (f)
F-250/F-350 Regular Cab SRW 4WD	6.8L V-10	16,500 (g)
F-250/F-350 Regular Cab SRW 4WD	6.4L V-8 TD	15,800 (e)
F-350 Regular Cab DRW 2WD	5.4L V-8	12,200 (f)
F-350 Regular Cab DRW 2WD	6.8L V-10	15,100 (f)
F-350 Regular Cab DRW 2WD	6.8L V-10	16,600 (g)
F-350 Regular Cab DRW 2WD	6.4V-8 TD	15,800 (d)
F-350 Regular Cab DRW 2WD	6.4V-8 TD	16,300 (e/f)
F-350 Regular Cab DRW 2WD	6.4V-8 TD	18,800 (g,t)
F-350 Regular Cab DRW 4WD	5.4L V-8	11,800 (f)
F-350 Regular Cab DRW 4WD	6.8L V-10	14,600 (f)
F-350 Regular Cab DRW 4WD	6.8L V-10	16,100 (g)
F-350 Regular Cab DRW 4WD	6.4V-8 TD	15,800 (e/f)
F-350 Regular Cab DRW 4WD	6.4V-8 TD	18,300 (g,t)
F-250/F350 SuperCab SRW 2WD	5.4L V-8	10,000 (e)
F-250/F350 SuperCab SRW 2WD	5.4L V-8	12,000 (f)
F-250/F350 SuperCab SRW 2WD	6.8L V-10	14,800 (f)
F-250/F350 SuperCab SRW 2WD	6.8L V-10	16,600 (g)
F-250/F350 SuperCab SRW 2WD	6.4L V-8 TD	16,000 (d/e)
F-250/F350 SuperCab SRW 4WD	5.4L V-8	9,500 (e)
F-250/F350 SuperCab SRW 4WD	5.4L V-8	11,500 (f)
F-250/F350 SuperCab SRW 4WD	6.8L V-10	14,400 (f)
F-250/F350 SuperCab SRW 4WD	6.8L V-10	16,300 (g)
F-250/F350 SuperCab SRW 4WD	6.8L V-10	15,600 (e)
F-350 SuperCab DRW 2WD	5.4L V-8	11,800 (f)
F-350 SuperCab DRW 2WD	6.8L V-10	14,700 (f)
F-350 SuperCab DRW 2WD	6.8L V-10	16,200 (g)
F-350 SuperCab DRW 2WD	6.4L V-8 TD	15,600 (d)
F-350 SuperCab DRW 2WD	6.4L V-8 TD	15,900 (e/f)
F-350 SuperCab DRW 2WD	6.4L V-8 TD	18,400 (g,t)
F-350 SuperCab DRW 4WD	5.4L V-8	11,400 (f)
F-350 SuperCab DRW 4WD	6.8L V-10	14,300 (f)
F-350 SuperCab DRW 4WD	6.8L V-10	15,800 (g)
F-350 SuperCab DRW 4WD	6.4L V-8 TD	15,500 (e/f)
F-350 SuperCab DRW 4WD	6.4L V-8 TD	18,000 (g,t)
F-250/F-350 Crew Cab SRW 2WD	5.4L V-8	9,700 (e)
F-250/F-350 Crew Cab SRW 2WD	5.4L V-8	11,700 (f)
F-250/F-350 Crew Cab SRW 2WD	6.8L V-10	14,600 (f)
F-250/F-350 Crew Cab SRW 2WD	6.8L V-10	16,500 (g)
F-250/F-350 Crew Cab SRW 2WD	6.4L V-8 TD	15,800 (d/e)
F-250/F-350 Crew Cab SRW 4WD	5.4L V-8	9,300 (e)

F-250/F-350 Crew Cab SRW 4WD	5.4L V-8	11,300 (f)
F-250/F-350 Crew Cab SRW 4WD	6.8L V-10	14,100 (f)
F-250/F-350 Crew Cab SRW 4WD	6.8L V-10	16,100 (g)
F-250/F-350 Crew Cab SRW 4WD	6.4L V-8 TD	15,300 (e)
F-350 Crew Cab DRW 2WD	6.8L V-10	14,500 (f)
F-350 Crew Cab DRW 2WD	6.8L V-10	16,000 (g)
F-350 Crew Cab DRW 2WD	6.4L V-8 TD	15,700 (e/f)
F-350 Crew Cab DRW 2WD	6.4L V-8 TD	18,200 (g,t)
F-350 Crew Cab DRW 4WD	6.8L V-10	14,000 (f)
F-350 Crew Cab DRW 4WD	6.8L V-10	15,500 (g)
F-350 Crew Cab DRW 4WD	6.4L V-8 TD	15,200 (e/f)
F-350 Crew Cab DRW 4WD	6.4L V-8 TD	17,700 (g,t)
F-450 Crew Cab DRW 2WD	6.4L V-8 TD	24,600 (g,t)
F-450 Crew Cab DRW 4WD	6.4L V-8 TD	24,200 (g,t)

F-250/F-350/F-450 Super Duty, Fifth-Wheel Towing, Manual Transmission

F-250/F-350 Reg. Cab SRW 2WD	5.4L V-8	9,200 (e)
F-250/F-350 Reg. Cab SRW 2WD	5.4L V-8	11,200 (f)
F-250/F-350 Reg. Cab SRW 2WD	6.8L V-10	14,000 (f)
F-250/F-350 Reg. Cab SRW 2WD	6.8L V-10	16,000 (g)
F-250/F-350 Reg. Cab SRW 2WD	6.4L V-8 TD	16,300 (e)
F-250/F-350 Reg. Cab SRW 4WD	5.4L V-8	8,800 (e)
F-250/F-350 Reg. Cab SRW 4WD	5.4L V-8	10,800 (f)
F-250/F-350 Reg. Cab SRW 4WD	6.8L V-10	13,600 (f)
F-250/F-350 Reg. Cab SRW 4WD	6.8L V-10	15,600 (g)
F-250/F-350 Reg. Cab SRW 4WD	6.4L V-8 TD	15,800 (e)
F-350 Reg. Cab DRW 2WD	5.4L V-8	11,200 (f)
F-350 Reg. Cab DRW 2WD	6.8L V-10	14,100 (f)
F-350 Reg. Cab DRW 2WD	6.8L V-10	16,100 (g)
F-350 Reg. Cab DRW 2WD	6.4L V-8 TD	16,300 (e/f)
F-350 Reg. Cab DRW 4WD	5.4L V-8	10,800 (f)
F-350 Reg. Cab DRW 4WD	6.8L V-10	13,600 (f)
F-350 Reg. Cab DRW 4WD	6.8L V-10	15,600 (g)
F-350 Reg. Cab DRW 4WD	6.4L V-8 TD	15,800 (e/f)
F-250/F-350 SuperCab SRW 2WD	5.4L V-8	9,000 (e)
F-250/F-350 SuperCab SRW 2WD	5.4L V-8	11,000 (f)
F-250/F-350 SuperCab SRW 2WD	6.8L V-10	13,800 (f)
F-250/F-350 SuperCab SRW 2WD	6.8L V-10	15,700 (g)
F-250/F-350 SuperCab SRW 2WD	6.4L V-8 TD	15,900 (e)
F-250/F-350 SuperCab SRW 4WD	5.4L V-8	8,300 (e)
F-250/F-350 SuperCab SRW 4WD	5.4L V-8	10,300 (f)
F-250/F-350 SuperCab SRW 4WD	6.8L V-10	13,100 (f)
F-250/F-350 SuperCab SRW 4WD	6.8L V-10	15,100 (g)
F-250/F-350 SuperCab SRW 4WD	6.4L V-8 TD	15,300 (e)
F-350 SuperCab DRW 2WD	5.4L V-8	10,800 (f)
F-350 SuperCab DRW 2WD	6.8L V-10	13,700 (f)
F-350 SuperCab DRW 2WD	6.8L V-10	15,700 (g)
F-350 SuperCab DRW 2WD	6.4L V-8 TD	15,900 (e/f)
F-350 SuperCab DRW 4WD	5.4L V-8	10,400 (f)
F-350 SuperCab DRW 4WD	6.8L V-10	13,300 (f)
F-350 SuperCab DRW 4WD	6.8L V-10	15,300 (g)
F-350 SuperCab DRW 4WD	6.4L V-8 TD	15,500 (e/f)
F-250/F-350 Crew Cab SRW 2WD	5.4L V-8	8,700 (e)
F-250/F-350 Crew Cab SRW 2WD	5.4L V-8	10,700 (f)

F-250/F-350 Crew Cab SRW 2WD	6.8L V-10	13,700 (f)
F-250/F-350 Crew Cab SRW 2WD	6.8L V-10	15,600 (g)
F-250/F-350 Crew Cab SRW 2WD	6.4L V-8 TD	15,800 (e)
F-250/F-350 Crew Cab SRW 4WD	5.4L V-8	8,300 (e)
F-250/F-350 Crew Cab SRW 4WD	5.4L V-8	10,300 (f)
F-250/F-350 Crew Cab SRW 4WD	6.8L V-10	13,100 (f)
F-250/F-350 Crew Cab SRW 4WD	6.8L V-10	15,100 (g)
F-250/F-350 Crew Cab SRW 4WD	6.4L V-8 TD	15,300 (e)
F-350 Crew Cab DRW 2WD	6.8L V-10	13,500 (f)
F-350 Crew Cab DRW 2WD	6.8L V-10	15,500 (g)
F-350 Crew Cab DRW 2WD	6.4L V-8 TD	15,700 (e/f)
F-350 Crew Cab DRW 4WD	6.8L V-10	13,000 (f)
F-350 Crew Cab DRW 4WD	6.8L V-10	15,000 (g)
F-350 Crew Cab DRW 4WD	6.4L V-8 TD	15,200 (e/f)
F-450 Crew Cab DRW 2WD	6.4L V-8 TD	18,600 (g,t)
F-450 Crew Cab DRW 4WD	6.4L V-8 TD	18,200 (g,t)

F-350/F-450/F-550 Super Duty Chassis Cab, Conventional Towing, Automatic Transmission

F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	9,500 (e)
F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	11,500 (f)
F-350 Reg. Chassis Cab SRW 2WD	6.8 V-10	12,500 (all)
F-350 Reg. Chassis Cab SRW 2WD	6.4L V-8 TD	12,500 (all)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	9,100 (e)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	11,100 (f)
F-350 Reg. Chassis Cab SRW 4WD	6.8 V-10	12,500 (all)
F-350 Reg. Chassis Cab SRW 4WD	6.4L V-8 TD	12,500 (all)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	9,600 (e)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	11,600 (f)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	14,500 (f)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	15,000 (g)
F-350 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (e/f)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	9,200 (e)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	11,200 (f)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	14,100 (f)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	15,000 (g)
F-350 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	15,000 (e/f)
F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	9,200 (e)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	11,200 (f)
F-350 Super Chassis Cab SRW 2WD	6.8L V-10	12,500 (all)
F-350 Super Chassis Cab SRW 2WD	6.4L V-8 TD	12,500 (all)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	8,700 (e)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	10,700 (f)
F-350 Super Chassis Cab SRW 4WD	6.8L V-10	12,500 (all)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	12,500 (all)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	14,100 (f)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	15,000 (g)

F-350 Super Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (all)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	13,700 (f)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	15,000 (g)
F-350 Super Chassis Cab DRW 4WD	6.4L V-8 TD	14,900 (e/f)
F-450 Super Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Super Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Super Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Super Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Super Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	9,000 (e)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	11,000 (f)
F-350 Crew Chassis Cab SRW 2WD	6.8L V-10	12,500 (f)
F-350 Crew Chassis Cab SRW 2WD	6.4L V-8 TD	12,500 (e)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	8,500 (e)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	10,500 (f)
F-350 Crew Chassis Cab SRW 4WD	6.8L V-10	12,500 (f)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	14,000 (f)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	15,000 (g)
F-350 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (e/f)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	13,500 (f)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	15,000 (g)
F-350 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	14,700 (e/f)
F-450 Crew Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Crew Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Crew Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Crew Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)

F-350/F-450/F-550 Super Duty Chassis Cab, Conventional Towing, Manual Transmission

F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	9,500 (e)
F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	10,500 (f)
F-350 Reg. Chassis Cab SRW 2WD	6.8L V-10	12,500 (f)
F-350 Reg. Chassis Cab SRW 2WD	6.4L V-8 TD	12,500 (e)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	8,100 (e)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	10,100 (f)
F-350 Reg. Chassis Cab SRW 4WD	6.8L V-10	12,500 (f)
F-350 Reg. Chassis Cab SRW 4WD	6.4L V-8 TD	12,500 (e)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	8,100 (e)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	10,600 (f)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	13,500 (f)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	15,000 (g)
F-350 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (all)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	7,700 (e)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	10,200 (f)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	13,100 (f)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	15,000 (g)
F-350 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	15,000 (all)

F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	8,200 (e)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	10,200 (f)
F-350 Super Chassis Cab SRW 2WD	6.8L V-10	12,500 (f)
F-350 Super Chassis Cab SRW 2WD	6.4L V-8 TD	12,500 (e)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	7,700 (e)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	9,700 (f)
F-350 Super Chassis Cab SRW 4WD	6.8L V-10	12,500 (f)
F-350 Super Chassis Cab SRW 4WD	6.4L V-8 TD	12,500 (e)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	13,100 (f)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	15,000 (g)
F-350 Super Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (e/f)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	12,700 (f)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	14,700 (g)
F-350 Super Chassis Cab DRW 4WD	6.4L V-8 TD	14,900 (e/f)
F-450 Super Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Super Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Super Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Super Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Super Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	8,000 (e)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	10,000 (f)
F-350 Crew Chassis Cab SRW 2WD	6.8L V-10	12,500 (f)
F-350 Crew Chassis Cab SRW 2WD	6.4L V-8 TD	12,500 (e)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	7,500 (e)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	9,500 (f)
F-350 Crew Chassis Cab SRW 4WD	6.8L V-10	12,400 (f)
F-350 Crew Chassis Cab SRW 4WD	6.4L V-8 TD	12,500 (e)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	13,000 (f)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	15,000 (g)
F-350 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	15,000 (all)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	12,500 (f)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	14,500 (g)
F-350 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	14,700 (all)
F-450 Crew Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-450 Crew Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)
F-550 Crew Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	16,000 (all)
F-550 Crew Chassis Cab DRW 4WD	6.8L V-10	16,000 (all)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,000 (all)

F-350/F-450/F-550 Super Duty Chassis Cab, Fifth-Wheel Towing, Automatic Transmission

F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	9,500 (e)
F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	11,500 (f)
F-350 Reg. Chassis Cab SRW 2WD	6.8L V-10	14,400 (f)
F-350 Reg. Chassis Cab SRW 2WD	6.4L V-8 TD	15,600 (e)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	9,100 (e)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	11,100 (f)
F-350 Reg. Chassis Cab SRW 4WD	6.8L V-10	14,000 (f)
F-350 Reg. Chassis Cab SRW 4WD	6.4L V-8 TD	15,000 (e)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	9,600 (e)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	11,600 (f)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	14,500 (f)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	16,000 (g)
F-350 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	15,700 (e)
F-350 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	15,600 (f)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	9,200 (e)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	11,200 (f)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	14,100 (f)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	15,600 (g)
F-350 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	15,200 (all)
F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	18,500 (h)
F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	18,300 (i)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	17,600 (g/h)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	21,600 (h,t)
F-450 Reg. Chassis Cab DRW 4WD	6.8L V-10	18,100 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	17,300 (g/h)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	21,300 (h,t)
F-550 Reg. Chassis Cab DRW 2WD	6.8L V-10	18,300 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	17,500 (g/h)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	24,500 (h,t)
F-550 Reg. Chassis Cab DRW 4WD	6.8L V-10	18,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	17,100 (g/h)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	24,100 (h,t)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	9,200 (e)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	11,200 (f)
F-350 Super Chassis Cab SRW 2WD	6.8L V-10	14,000 (f)
F-350 Super Chassis Cab SRW 2WD	6.4L V-8 TD	15,100 (e)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	8,700 (e)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	10,700 (f)
F-350 Super Chassis Cab SRW 4WD	6.8L V-10	13,600 (f)
F-350 Super Chassis Cab SRW 4WD	6.4L V-8 TD	14,700 (e)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	14,100 (f)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	15,600 (g)
F-350 Super Chassis Cab DRW 2WD	6.4L V-8 TD	15,300 (all)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	13,700 (f)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	15,200 (g)
F-350 Super Chassis Cab DRW 4WD	6.4L V-8 TD	14,900 (all)
F-450 Super Chassis Cab DRW 2WD	6.8L V-10	16,000 (all)
F-450 Super Chassis Cab DRW 2WD	6.4L V-8 TD	17,200 (g/h)
F-450 Super Chassis Cab DRW 2WD	6.4L V-8 TD	21,200 (h,t)
F-450 Super Chassis Cab DRW 4WD	6.8L V-10	17,700 (all)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,800 (g/h)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	20,800 (h,t)
F-550 Super Chassis Cab DRW 2WD	6.8L V-10	17,900 (all)

F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	17,100 (g/h)
F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	24,100 (h,t)
F-550 Super Chassis Cab DRW 4WD	6.8L V-10	17,500 (all)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,700 (g/h)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	23,700 (h,t)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	9,000 (e)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	11,000 (f)
F-350 Crew Chassis Cab SRW 2WD	6.8L V-10	13,900 (f)
F-350 Crew Chassis Cab SRW 2WD	6.4L V-8 TD	14,900 (e)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	8,500 (e)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	10,500 (f)
F-350 Crew Chassis Cab SRW 4WD	6.8L V-10	13,400 (f)
F-350 Crew Chassis Cab SRW 4WD	6.4L V-8 TD	14,400 (e)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	14,000 (f)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	15,500 (g)
F-350 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	15,100 (all)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	13,500 (f)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	15,000 (g)
F-350 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	14,700 (all)
F-450 Crew Chassis Cab DRW 2WD	6.8L V-10	17,900 (all)
F-450 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	17,000 (g/h)
F-450 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	21,000 (h,t)
F-450 Crew Chassis Cab DRW 4WD	6.8L V-10	17,500 (all)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,600 (g/h)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	20,600 (h,t)
F-550 Crew Chassis Cab DRW 2WD	6.8L V-10	17,700 (all)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	16,900 (g/h)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	23,900 (h,t)
F-550 Crew Chassis Cab DRW 4WD	6.8L V-10	17,400 (all)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,500 (g/h)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	23,500 (h,t)

F-350/F-450/F-550 Super Duty Chassis Cab, Fifth-Wheel Towing, Manual Transmission

F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	8,500 (e)
F-350 Reg. Chassis Cab SRW 2WD	5.4L V-8	10,500 (f)
F-350 Reg. Chassis Cab SRW 2WD	6.8L V-10	13,400 (f)
F-350 Reg. Chassis Cab SRW 2WD	6.4L V-8 TD	15,600 (e)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	8,100 (e)
F-350 Reg. Chassis Cab SRW 4WD	5.4L V-8	10,100 (f)
F-350 Reg. Chassis Cab SRW 4WD	6.8L V-10	13,000 (f)
F-350 Reg. Chassis Cab SRW 4WD	6.4L V-8 TD	15,000 (e)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	8,100 (e)
F-350 Reg. Chassis Cab DRW 2WD	5.4L V-8	10,600 (f)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	13,500 (f)
F-350 Reg. Chassis Cab DRW 2WD	6.8L V-10	15,500 (g)
F-350 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	15,700 (all)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	7,700 (e)
F-350 Reg. Chassis Cab DRW 4WD	5.4L V-8	10,200 (f)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	13,100 (f)
F-350 Reg. Chassis Cab DRW 4WD	6.8L V-10	15,100 (g)
F-350 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	15,200 (all)
F-450 Reg. Chassis Cab DRW 2WD	6.8L V-10	18,500 (all)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	17,600 (g/h)
F-450 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	19,600 (h,t)

F-450 Reg. Chassis Cab DRW 4WD	6.8L V-10	18,100 (all)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	17,300 (g/h)
F-450 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	19,300 (h,t)
F-550 Reg. Chassis Cab DRW 2WD	6.8L V-10	18,300 (all)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	17,500 (g/h)
F-550 Reg. Chassis Cab DRW 2WD	6.4L V-8 TD	19,500 (h,t)
F-550 Reg. Chassis Cab DRW 4WD	6.8L V-10	18,000 (all)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	17,100 (g/h)
F-550 Reg. Chassis Cab DRW 4WD	6.4L V-8 TD	19,100 (h,t)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	8,200 (e)
F-350 Super Chassis Cab SRW 2WD	5.4L V-8	10,200 (f)
F-350 Super Chassis Cab SRW 2WD	6.8L V-10	13,000 (f)
F-350 Super Chassis Cab SRW 2WD	6.4L V-8 TD	15,100 (e)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	7,700 (e)
F-350 Super Chassis Cab SRW 4WD	5.4L V-8	9,700 (f)
F-350 Super Chassis Cab SRW 4WD	6.8L V-10	12,600 (f)
F-350 Super Chassis Cab SRW 4WD	6.4L V-8 TD	14,700 (e)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	13,100 (f)
F-350 Super Chassis Cab DRW 2WD	6.8L V-10	15,100 (g)
F-350 Super Chassis Cab DRW 2WD	6.4L V-8 TD	15,300 (all)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	12,700 (f)
F-350 Super Chassis Cab DRW 4WD	6.8L V-10	14,700 (g)
F-350 Super Chassis Cab DRW 4WD	6.4L V-8 TD	14,900 (all)
F-450 Super Chassis Cab DRW 2WD	6.8L V-10	18,000 (all)
F-450 Super Chassis Cab DRW 2WD	6.4L V-8 TD	17,200 (g/h)
F-450 Super Chassis Cab DRW 2WD	6.4L V-8 TD	19,200 (h,t)
F-450 Super Chassis Cab DRW 4WD	6.8L V-10	17,700 (all)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,800 (g/h)
F-450 Super Chassis Cab DRW 4WD	6.4L V-8 TD	18,800 (h,t)
F-550 Super Chassis Cab DRW 2WD	6.8L V-10	17,900 (all)
F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	17,100 (g/h)
F-550 Super Chassis Cab DRW 2WD	6.4L V-8 TD	19,100 (h,t)
F-550 Super Chassis Cab DRW 4WD	6.8L V-10	17,500 (all)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	16,700 (g/h)
F-550 Super Chassis Cab DRW 4WD	6.4L V-8 TD	18,700 (h,t)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	8,000 (e)
F-350 Crew Chassis Cab SRW 2WD	5.4L V-8	10,000 (f)
F-350 Crew Chassis Cab SRW 2WD	6.8L V-10	12,900 (f)
F-350 Crew Chassis Cab SRW 2WD	6.4L V-8 TD	14,900 (e)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	7,500 (e)
F-350 Crew Chassis Cab SRW 4WD	5.4L V-8	9,500 (f)
F-350 Crew Chassis Cab SRW 4WD	6.8L V-10	12,400 (f)
F-350 Crew Chassis Cab SRW 4WD	6.4L V-8 TD	14,400 (e)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	13,000 (f)
F-350 Crew Chassis Cab DRW 2WD	6.8L V-10	15,000 (g)
F-350 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	15,100 (all)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	12,500 (f)
F-350 Crew Chassis Cab DRW 4WD	6.8L V-10	14,500 (g)
F-350 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	14,700 (all)
F-450 Crew Chassis Cab DRW 2WD	6.8L V-10	17,900 (all)
F-450 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	17,000 (g/h)
F-450 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	19,000 (h,t)
F-450 Crew Chassis Cab DRW 4WD	6.8L V-10	17,500 (all)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,600 (g/h)
F-450 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	18,600 (h,t)

F-550 Crew Chassis Cab DRW 2WD	6.8L V-10	17,700 (all)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	16,900 (g/h)
F-550 Crew Chassis Cab DRW 2WD	6.4L V-8 TD	18,900 (h,t)
F-550 Crew Chassis Cab DRW 4WD	6.8L V-10	17,400 (all)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	16,500 (h)
F-550 Crew Chassis Cab DRW 4WD	6.4L V-8 TD	18,500 (h,t)

Key to Ford Section

*F-250/350 models with 5.4-liter V-8 and manual transmission are rated to tow 1,000 lb less. Ratings for 6.8-liter V-10 and 6.4-liter V-8 turbodiesel models are the same as automatic-transmission ratings.	<i>l</i> = 4.10:1 axle ratio
<i>a</i> = Automatic Transmission	<i>g</i> = 4.30:1 axle ratio
<i>a4</i> = Automatic Transmission, four speed	<i>all</i> = All available gear ratios apply
<i>a6</i> = Automatic Transmission, six speed	<i>AWD</i> = All Wheel Drive
<i>m</i> = Manual Transmission	<i>CC</i> = Crew Cab
<i>b</i> = 3.15:1 axle ratio	<i>SC</i> = SuperCab
<i>c</i> = 3.31:1 axle ratio	<i>LB</i> = 8-foot bed
<i>d</i> = 3.55:1 axle ratio	<i>Shortbed</i> = 5½-foot bed
<i>e</i> = 3.73:1 axle ratio	<i>Std. Bed</i> = 6½-foot bed
	<i>SRW</i> = Single Rear Wheel
	<i>DRW</i> = Dual Rear Wheels
	<i>2V</i> = Two valves per cylinder
	<i>3V</i> = Three valves per cylinder
	<i>TD</i> = Turbodiesel
	<i>t</i> = Tow package required

HONDA

Odyssey	3.5L V-6	3,500
Pilot 2WD	3.5L V-6	3,500
Pilot 4WD	3.5L V-6	4,500
Ridgeline	3.5L V-6	5,000

HUMMER

H2	6.2L V-8	8,200
H2 SUT	6.2L V-8	8,200
H3	3.7L I-5	4,500 (a)
H3	3.7L I-5	3,000 (m)
H3 Alpha	5.3L V-8	6,000
H3T	3.7L I-5	4,400 (a)
H3T	3.7L I-5	2,900 (m)
H3T Alpha	5.3L V-8	5,900

a = Automatic transmission*m* = Manual transmission**HYUNDAI**

Entourage	3.8L V-6	3,500
Santa Fe 2WD	2.7L V-6	2,000 (x)
Santa Fe 2WD	3.5L V-6	2,000 (x)
Santa Fe 4WD	2.7L V-6	2,000 (x)
Santa Fe 4WD	3.5L V-6	2,000 (x)
Tucson	2.7L V-6	2,000 (x)
Veracruz (all)	3.8L V-6	3,500 (t)

x = Trailer brakes required*t* = Tow package required**INFINITI**

QX56 2WD	5.6L V-8	9,000
QX56 AWD	5.6L V-8	8,900
FX35	3.5L V-6	2,000
FX50	5.0L V-8	3,500

JEEP

Commander 2WD	3.7L V-6	3,500
Commander 2WD	4.7L V-8	6,500
Commander 2WD	5.7L V-8	7,400
Commander 4WD	3.7L V-6	3,500
Commander 4WD	4.7L V-8	6,500
Commander 4WD	5.7L V-8	7,200
Grand Cherokee 2WD	3.0L TD V-6	7,400
Grand Cherokee 4WD	3.0L TD V-6	7,200
Grand Cherokee 2WD	3.7L V-6	3,500
Grand Cherokee 4WD	3.7L V-6	3,500
Grand Cherokee 2WD	4.7L V-8	6,500
Grand Cherokee 4WD	4.7L V-8	6,500
Grand Cherokee 2WD	5.7L V-8	7,400
Grand Cherokee 4WD	5.7L V-8	7,200
Grand Cherokee SRT8	6.1L V-8	3,500
Liberty 2WD	3.7L V-6	3,500 (m,t)
Liberty 2WD	3.7L V-6	5,000 (a,t)
Liberty 4WD	3.7L V-6	3,500 (m,t)
Liberty 4WD	3.7L V-6	5,000 (a,t)
Wrangler	3.8L V-6	2,000
Wrangler Unlimited	3.8L V-6	3,500
Wrangler Unlimited Rubicon	3.8L V-6	3,500

a = Automatic transmission*m* = Manual transmission**KIA**

Borrego	3.8L V-6	5,000
Borrego	4.6L V-8	7,500
Sedona	3.8L V-6	3,500
Sorento	3.3L V-6	3,500
Sorento	3.8L V-6	5,000
Sportage	2.7L V-6	2,000

LAND ROVER

Land Rover LR2	3.2L I-6	3,500 (x)
Land Rover LR3	4.4L V-8	7,716 (x)
Range Rover	4.2L V-8	7,716 (x)
Range Rover	4.4L V-8	7,716 (x)
Range Rover Sport	4.2L V-8 SC	7,716 (x)
Range Rover Sport	4.4L V-8 SC	7,716 (x)

x = Trailer brakes required**LEXUS**

RX 350	3.5L V-6	3,500
RX 400h (hybrid)	3.3L V-6	3,500
GX 470	4.7L V-8	6,500
LX 570	5.7L V-8	8,500

LINCOLN-MERCURY

Mariner	2.5L I-4	3,500 (t)
Mariner	3.0L V-6	3,500 (t)
Mountaineer 2WD 5 pass.	4.0L V-6	5,295
Mountaineer 2WD 5 pass.	4.6L V-8	7,220
Mountaineer AWD 5 pass.	4.0L V-6	5,000
Mountaineer AWD 5 pass.	4.6L V-8	7,055

Mountaineer 2WD 7 pass.	4.0L V-6	5,205
Mountaineer 2WD 7 pass.	4.6L V-8	7,135
Mountaineer AWD 7 pass.	4.0L V-6	5,000
Mountaineer AWD 7 pass.	4.6L V-8	6,970
Navigator 2WD	5.4L V-8	8,950
Navigator L 2WD	5.4L V-8	8,850
Navigator 4WD	5.4L V-8	8,750
Navigator L 4WD	5.4L V-8	8,475

t = Tow package required

MAZDA

B-2300 Reg Cab 2WD	2.3L I-4	2,260 (a,i)
B-4000 4WD	4.0L V-6	3,140 (m,i)
B-4000 4WD	4.0L V-6	5,600 (a,i)
CX7 (all)	2.3L TC	2,000 (a)
CX9 (all)	3.7L V-6	3,500 (a,t)
Tribute	3.0L V-6	3,500 (a,t)

a = Automatic transmission

m = Manual transmission

i = 4.10:1 axle ratio

t = Towing package required

MERCEDES-BENZ

G550	5.5L V-8	7,000
G55 AMG	5.4L V-8	7,000
GL320 BlueTEC	3.0L TD V-6	7,500
GL450	4.6L V-8	7,500
GL550	5.5L V-8	7,500
ML320 BlueTEC	3.0L TD V-6	7,200
ML350	3.5L V-6	7,200
ML550	5.5L V-8	7,200
ML63 AMG	6.3L V-8	7,200

MITSUBISHI

Outlander 2WD	3.0L V-6	2,000
Outlander 4WD	3.0L V-6	3,500
Endeavor	3.8L V-6	3,500
Raider Dbl. Cab 2WD	3.7L V-6	4,050 (a4,f)
Raider Dbl. Cab 2WD	3.7L V-6	4,350 (a4,h)
Raider Dbl. Cab 4WD	3.7L V-6	3,850 (a4,f)
Raider Dbl. Cab 4WD	3.7L V-6	4,150 (a4,h)

a4 = Automatic transmission, four speed

f = 3.55:1 axle ratio

h = 3.92:1 axle ratio

NISSAN

Armada 2WD	5.6L V-8	9,100
Armada 4WD	5.6L V-8	9,000
Frontier KC XE 2WD	2.5L I-4	3,500
Frontier KC SE, LE, Nismo 2WD	4.0L V-6	6,500
Frontier KC SE, LE, Nismo 4WD	4.0L V-6	6,300
Frontier CC SE, LE, Nismo 2WD	4.0L V-6	6,300
Frontier CC SE, LE, Nismo 4WD	4.0L V-6	6,100
Murano	3.5L V-6	3,500
Pathfinder	4.0L V-6	6,000
Pathfinder	5.6L V-8	7,000
Quest	3.5L V-6	3,500
Titan KC 2WD	5.6L V-8	9,500

Titan KC 4WD	5.6L V-8	9,400
Titan CC 2WD	5.6L V-8	9,400
Titan CC 4WD	5.6L V-8	9,400
Titan Longbed CC 2WD	5.6L V-8	9,300
Titan Longbed CC 4WD	5.6L V-8	9,100
Xterra	4.0L V-6	5,000

PONTIAC

Torrent	3.4L V-6	3,500
---------	----------	-------

PORSCHE

Cayenne	All	7,716
---------	-----	-------

SAAB

9-3 (all)	(all)	3,500
9-5 (all)	(all)	3,500
9-7X	4.2L I-6	5,600
9-7X	5.3L V-8	6,500
9-7X	6.0L V-8	6,500

SATURN

VUE	All V-6	3,500
Outlook	3.6L V-6	4,500

SUBARU

Tribeca	3.6L H6	3,500 (t)
Forester	2.5L H4	2,400 (x)
Outback	2.5L H4	2,700
Outback	3.0L H6	3,000

t = Tow package required

x = Trailer brakes required

SUZUKI

Grand Vitara	2.4L I-4	3,000
Grand Vitara	3.2L V-6	3,000
XL7	3.6L V-6	3,500

TOYOTA

4Runner 2WD	4.0L V-6	5,000
4Runner 4WD	4.0L V-6	5,000
4Runner 2WD	4.7L V-8	7,300
4Runner 4WD	4.7L V-8	7,000
FJ Cruiser	4.0L V-6	5,000
Highlander	3.5L V-6	2,000
Highlander	3.5L V-6	5,000 (t)
Highlander Hybrid	3.3L V-6	3,500
Land Cruiser	5.7L V-8	8,500
RAV4	3.5L V-6	2,000
RAV4	3.5L V-6	3,500 (t)
Sienna	3.5L V-6	3,500
Sequoia 2WD SR5	4.7L V-8	6,300
Sequoia 2WD Ltd	4.7L V-8	6,200
Sequoia 4WD SR5	4.7L V-8	6,000
Sequoia 4WD Ltd	4.7L V-8	5,600
Sequoia 2WD SR5	5.7L V-8	8,300
Sequoia 2WD SR5	5.7L V-8	10,000 (t)

'09

TOWING GUIDE

Sequoia 2WD Ltd	5.7L V-8	8,200
Sequoia 2WD Ltd	5.7L V-8	9,500 (t)
Sequoia 2WD Platinum	5.7L V-8	8,100
Sequoia 2WD Platinum	5.7L V-8	9,100 (t)
Sequoia 4WD SR5	5.7L V-8	8,000
Sequoia 4WD SR5	5.7L V-8	9,600 (t)
Sequoia 4WD Ltd	5.7L V-8	7,900
Sequoia 4WD Ltd	5.7L V-8	9,100 (t)
Sequoia 2WD Platinum	5.7L V-8	7,800
Sequoia 2WD Platinum	5.7L V-8	8,800 (t)
Tacoma Reg. Cab	2.7L I-4	3,500
Tacoma Access Cab/X-Runner	2.7L I-4	3,500
Tacoma Access Cab 2WD/4WD	4.0L V-6	5,000
Tacoma Access Cab 2WD/4WD	4.0L V-6	6,500 (t)
Tacoma Double Cab 2WD/4WD	4.0L V-6	5,000
Tacoma Double Cab 2WD/4WD	4.0L V-6	6,500 (t)
Tundra Reg. Cab Shortbed	4.0L V-6	5,100
Tundra Reg. Cab Longbed	4.0L V-6	5,000
Tundra Double Cab Shortbed 2WD	4.0L V-6	4,800
Tundra Reg. Cab Shortbed 2WD	4.7L V-8	7,000
Tundra Reg. Cab Shortbed 2WD	4.7L V-8	8,500 (t)
Tundra Reg. Cab Shortbed 4WD	4.7L V-8	6,900
Tundra Reg. Cab Shortbed 4WD	4.7L V-8	8,400
Tundra Reg. Cab Longbed 2WD	4.7L V-8	6,900
Tundra Reg. Cab Longbed 2WD	4.7L V-8	8,400 (t)
Tundra Reg. Cab Longbed 2WD	5.7L V-8	10,500 (t)
Tundra Reg. Cab Longbed 4WD	4.7L V-8	6,600
Tundra Reg. Cab Longbed 4WD	4.7L V-8	8,100 (t)
Tundra Reg. Cab Longbed 4WD	5.7L V-8	10,800 (t)
Tundra Double Cab Shortbed 2WD	4.7L V-8	7,000
Tundra Double Cab Shortbed 2WD	4.7L V-8	8,500 (t)
Tundra Double Cab Shortbed 4WD	4.7L V-8	6,700
Tundra Double Cab Shortbed 4WD	4.7L V-8	8,200 (t)

Tundra Double Cab Longbed 2WD	4.7L V-8	6,900
Tundra Double Cab Longbed 2WD	4.7L V-8	8,400 (t)
Tundra Double Cab Longbed 4WD	4.7L V-8	6,600
Tundra Double Cab Longbed 4WD	4.7L V-8	8,100
Tundra Reg. Cab 2WD	5.7L V-8	10,800
Tundra Reg. Cab 4WD	5.7L V-8	10,400
Tundra Double Cab Shortbed 2WD	5.7L V-8	8,600
Tundra Double Cab Shortbed 2WD	5.7L V-8	10,600t
Tundra Double Cab Longbed 2WD	5.7L V-8	10,500t
Tundra Double Cab Shortbed 4WD	5.7L V-8	8,300
Tundra Double Cab Shortbed 4WD	5.7L V-8	10,300t
Tundra Double Cab Longbed 4WD	5.7L V-8	10,200
Tundra CrewMax 2WD	4.7L V-8	7,700 (t)
Tundra CrewMax 4WD	4.7L V-8	8,000 (t)
Tundra CrewMax 2WD	5.7L V-8	10,400
Tundra CrewMax 4WD	5.7L V-8	10,100

t = Tow package required

VOLKSWAGEN

Tiguan	2.0L I-4TC	2,200
Touareg	All	7,716

VOLVO

C30	2.5L I-5TC	2,000
S40	2.4L I-5	2,000
S40	2.5L I-5TC	2,000
S60	2.5L I-5	3,300
S80	All	3,300
V50	2.4L I-5	2,000
V50	2.5L I-5TC	2,000
V70	3.2L I-6	3,300
XC70	3.2L I-6	3,970
XC90AWD	4.4L V-8	4,960