

2019 TOW RATINGS

KEY TO CHARTS

VEHICLE

Reg Cab	Regular Cab	PV	Passenger Van	SWB	Short Wheelbase
Ext Cab	Extended Cab	SRW	Single Rear Wheel	LWB	Long Wheelbase
CC	Crew Cab	DRW	Dual Rear Wheel	EL	Extra Length
DC	Double Cab	AWD	All-Wheel Drive	LR	Low Roof
SB	Shortbed	FWD	Front-Wheel Drive	MR	Medium Roof
Std Bed	Standard Bed	RWD	Rear-Wheel Drive	HR	High Roof
LB	Longbed	2WD	Two-Wheel Drive	EHR	Extra-High Roof
CV	Cargo Van	4WD	Four-Wheel Drive		

ENGINE

DAE	Dual Asynchronous Electric
TC	Turbocharged
TD	Turbo Diesel
SC	Supercharged

GEAR RATIO

b	3.08:1	h	3.55:1
c	3.15:1	i	3.73:1
d	3.21:1	j	3.92:1
e	3.23:1	k	4.10:1
f	3.31:1	l	4.30:1
g	3.42:1		

a	Automatic Transmission	m6	Manual Transmission, 6 Speeds
a6	Automatic Transmission, 6 Speeds	p	Cooling or Other Accessory Package Required
a8	Automatic Transmission, 8 Speeds	t	Tow Package/Upgraded Tow Package Required
a9	Automatic Transmission, 9 Speeds		for Maximum Tow Capacity
a10	Automatic Transmission, 10 Speeds	/	Either/Or
m	Manual Transmission	,	More Than One Footnote Applies

VEHICLE ENGINE TOW LIMIT (lbs.)

ACURA

MDX FWD	3.5L V-6	3,500 (t)
MDX SH-AWD	3.5L V-6	5,000 (p,t)

AUDI

E-tron	DAE	4,000 (t)
Q5	2.0L I-4 TC	4,400 (t) *
Q7	2.0L I-4 TC	4,400 (t) *
Q7	3.0L V-6 SC	7,700 (t) *
Q8	3.0L V-6	7,700 (t)

* 2018 tow rating. 2019 rating not available at press time.

BMW

X1	2.0L I-4 TC	3,500 (t)
X3	All	4,400 ■
X4	All	3,500 (t)
X5	All	7,200 (t) ♦
X6	All	6,000 (t)
X7	All	7,500 (t) ●

■ With braked trailer ♦ 6,600 lbs. with third-party hitch ● 5,950 lbs. with third-party hitch

FIAT CHRYSLER AUTOMOBILES

CHRYSLER

Chrysler Pacifica	3.6L V-6	3,600 (t) *
-------------------	----------	-------------

* Towing not recommended for hybrid models.

DODGE

Dodge Durango RWD/AWD	3.6L V-6	6,200 (t)
Dodge Durango RWD	5.7L V-8	7,400 (t)
Dodge Durango AWD	5.7L V-8	7,200 (t)
Dodge Durango/Durango SRT AWD	6.4L V-8	8,700 (t)
Dodge Durango Pursuit AWD	3.6L V-6	6,200 (t)
Dodge Durango Pursuit AWD	5.7L V-8	7,200 (t)
Dodge Grand Caravan	3.6L V-6	3,600 (t)
Dodge Journey FWD/AWD	3.6L V-6	2,500 (t) ▼

▼ Hitch receiver not included in optional tow-prep package.

JEEP

Cherokee FWD/4WD	All	2,000 ■
Cherokee FWD/4WD	2.4L I-4	2,000 (t)
Cherokee FWD/4WD	2.0L I-4 TC	4,000 (t)
Cherokee FWD/4WD	3.2L V-6	4,500 (t)
Compass 4WD	2.4L I-4	2,000 (t)
Grand Cherokee 2WD	3.6L V-6	6,200 ♦
Grand Cherokee 2WD	3.0L V-6 TD	7,400 (t)
Grand Cherokee 4WD	3.6L V-6	6,200 ♦
Grand Cherokee 4WD	3.0L V-6 TD	7,200 ♦
Grand Cherokee 4WD	5.7L V-8	7,200 ♦
Grand Cherokee 4WD SRT	6.4L V-8	7,200 (t)
Grand Cherokee 4WD Trackhawk	6.2L V-8 SC	7,200 (t)
Renegade 4WD	2.4L I-4	2,000 (t)
Wrangler	All	3,500 (t)

♦ Tow package required for maximum tow capacity for some models, standard on others. See dealer for details. ■ Cherokee models without Trailer Tow Group and equipped with aftermarket Class II hitch.

RAM

Ram 1500 Bed Lengths: Shortbed 5'7"/Standard 6'4"

Ram 1500 Quad Cab

Ram 1500 Quad Cab 2WD	3.6L V-6	6,640 (a8,d)
Ram 1500 Quad Cab 2WD	3.6L V-6	7,640 (a8,h) ■
Ram 1500 Quad Cab 2WD	3.6L V-6	7,750 (a8,h) ▲
Ram 1500 Quad Cab 2WD	5.7L V-8	8,590 (a8,d)
Ram 1500 Quad Cab 2WD	5.7L V-8	11,690 (a8,j)
Ram 1500 Quad Cab 2WD eTorque	5.7L V-8	8,540 (a8,d)
Ram 1500 Quad Cab 2WD eTorque	5.7L V-8	11,640 (a8,j) ▼
Ram 1500 Quad Cab 2WD eTorque	5.7L V-8	12,750 (a8,j) ◆
Ram 1500 Quad Cab 2WD HFE	3.6L V-6 TD	6,710 (a8,d)
Ram 1500 Quad Cab 4WD	3.6L V-6	6,460 (a8,d)
Ram 1500 Quad Cab 4WD	3.6L V-6	7,460 (a8,h)
Ram 1500 Quad Cab 4WD	3.6L V-6	7,290 (a8,j)
Ram 1500 Quad Cab 4WD	5.7L V-8	8,360 (a8,d)
Ram 1500 Quad Cab 4WD	5.7L V-8	11,460 (a8,j)
Ram 1500 Quad Cab 4WD eTorque	5.7L V-8	8,270 (a8,d)
Ram 1500 Quad Cab 4WD eTorque	5.7L V-8	11,370 (a8,j)

■ GVWR 6,800 lbs. ▲ GVWR 7,100 lbs. ▼ GCWR 17,000 lbs. ◆ GCWR 18,200 lbs.

Ram 1500 Crew Cab Shortbed

Ram 1500 CC SB 2WD	3.6L V-6	6,590 (a8,d)
Ram 1500 CC SB 2WD	3.6L V-6	7,590 (a8,h)
Ram 1500 CC SB 2WD	3.6L V-6	7,390 (a8,j)
Ram 1500 CC SB 2WD	5.7L V-8	8,430 (a8,d)
Ram 1500 CC SB 2WD	5.7L V-8	11,530 (a8,j)
Ram 1500 CC SB 2WD eTorque	5.7L V-8	8,340 (a8,d)
Ram 1500 CC SB 2WD eTorque	5.7L V-8	11,440 (a8,j)
Ram 1500 CC SB 4WD	3.6L V-6	6,280 (a8,d)
Ram 1500 CC SB 4WD	3.6L V-6	7,280 (a8,h)
Ram 1500 CC SB 4WD	3.6L V-6	7,160 (a8,j)
Ram 1500 CC SB 4WD	5.7L V-8	8,190 (a8,d)
Ram 1500 CC SB 4WD	5.7L V-8	11,290 (a8,j)
Ram 1500 CC SB 4WD eTorque	5.7L V-8	8,090 (a8,d)
Ram 1500 CC SB 4WD eTorque	5.7L V-8	11,190 (a8,j)

Ram 1500 Crew Cab Standard Bed

Ram 1500 CC 2WD	3.6L V-6	6,550 (a8,d)
Ram 1500 CC 2WD	3.6L V-6	7,550 (a8,h)
Ram 1500 CC 2WD	5.7L V-8	8,420 (a8,d)
Ram 1500 CC 2WD	5.7L V-8	11,520 (a8,j)
Ram 1500 CC 2WD eTorque	5.7L V-8	8,330 (a8,d)
Ram 1500 CC 2WD eTorque	5.7L V-8	11,430 (a8,j)
Ram 1500 CC 4WD	3.6L V-6	6,320 (a8,d)
Ram 1500 CC 4WD	3.6L V-6	7,320 (a8,h)
Ram 1500 CC 4WD	5.7L V-8	8,220 (a8,d)
Ram 1500 CC 4WD	5.7L V-8	11,320 (a8,j)
Ram 1500 CC 4WD eTorque	5.7L V-8	8,080 (a8,d)
Ram 1500 CC 4WD eTorque	5.7L V-8	11,180 (a8,j)

Max trailer weights are estimates. WD hitch recommended for trailers over 5,000 lbs

Ram 2500/3500 Bed Lengths: Shortbed 6'4"/Longbed 8'

Ram 2500 Regular Cab Longbed

Ram 2500 Reg Cab LB 2WD	5.7L V-8	11,890 (a6,i) *
Ram 2500 Reg Cab LB 2WD	5.7L V-8	13,890 (a6,k) *
Ram 2500 Reg Cab LB 2WD	6.4L V-8	13,320 (a6,i) *
Ram 2500 Reg Cab LB 2WD	6.4L V-8	16,320 (a6,k) *
Ram 2500 Reg Cab LB 2WD	6.7L I-6 TD	16,890 (m6,g) *
Ram 2500 Reg Cab LB 2WD	6.7L I-6 TD	17,980 (a6,g) *
Ram 2500 Reg Cab LB 4WD	5.7L V-8	11,510 (a6,i) *
Ram 2500 Reg Cab LB 4WD	5.7L V-8	13,510 (a6,k) *
Ram 2500 Reg Cab LB 4WD	6.4L V-8	12,930 (a6,i) *
Ram 2500 Reg Cab LB 4WD	6.4L V-8	15,930 (a6,k) *
Ram 2500 Reg Cab LB 4WD	6.7L I-6 TD	16,450 (m6,g) *
Ram 2500 Reg Cab LB 4WD	6.7L I-6 TD	17,540 (a6,g) *

Ram 2500 Crew Cab Shortbed

Ram 2500 CC SB 2WD	5.7L V-8	11,520 (a6,i) *
Ram 2500 CC SB 2WD	5.7L V-8	13,520 (a6,k) *
Ram 2500 CC SB 2WD	6.4L V-8	12,940 (a6,i) *
Ram 2500 CC SB 2WD	6.4L V-8	15,940 (a6,k) *
Ram 2500 CC SB 2WD	6.7L I-6 TD	16,450 (m6,g) *
Ram 2500 CC SB 2WD	6.7L I-6 TD	17,510 (a6,g) *
Ram 2500 CC SB 4WD	5.7L V-8	11,200 (a6,i) *
Ram 2500 CC SB 4WD	5.7L V-8	13,190 (a6,k) *
Ram 2500 CC SB 4WD	6.4L V-8	12,630 (a6,i) *
Ram 2500 CC SB 4WD	6.4L V-8	15,630 (a6,k) *
Ram 2500 CC SB 4WD	6.7L I-6 TD	16,130 (m6,g) *
Ram 2500 CC SB 4WD	6.7L I-6 TD	17,200 (a6,g) *
Ram 2500 CC SB 4WD Power Wagon	6.4L V-8	10,030 (a6,k) *

Ram 2500 Crew Cab Longbed

Ram 2500 CC LB 2WD	5.7L V-8	11,390 (a6,i) *
Ram 2500 CC LB 2WD	5.7L V-8	13,390 (a6,k) *
Ram 2500 CC LB 2WD	6.4L V-8	12,810 (a6,i) *
Ram 2500 CC LB 2WD	6.4L V-8	15,810 (a6,k) *
Ram 2500 CC LB 2WD	6.7L I-6 TD	16,300 (m6,g) *
Ram 2500 CC LB 2WD	6.7L I-6 TD	17,370 (a6,g) *
Ram 2500 CC LB 4WD	5.7L V-8	11,030 (a6,i) *
Ram 2500 CC LB 4WD	5.7L V-8	13,020 (a6,k) *
Ram 2500 CC LB 4WD	6.4L V-8	12,460 (a6,i) *
Ram 2500 CC LB 4WD	6.4L V-8	15,460 (a6,k) *
Ram 2500 CC LB 4WD	6.7L I-6 TD	15,950 (m6,g) *
Ram 2500 CC LB 4WD	6.7L I-6 TD	17,020 (a6,g) *

Ram 2500 Mega Cab

Ram 2500 Mega Cab 2WD	5.7L V-8	11,040 (a6,i) *
Ram 2500 Mega Cab 2WD	5.7L V-8	13,040 (a6,k) *
Ram 2500 Mega Cab 2WD	6.4L V-8	12,520 (a6,i) *
Ram 2500 Mega Cab 2WD	6.4L V-8	15,520 (a6,k) *
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	16,100 (m6,g) *
Ram 2500 Mega Cab 2WD	6.7L I-6 TD	17,170 (a6,g) *
Ram 2500 Mega Cab 4WD	5.7L V-8	10,780 (a6,i) *
Ram 2500 Mega Cab 4WD	5.7L V-8	12,780 (a6,k) *
Ram 2500 Mega Cab 4WD	6.4L V-8	12,240 (a6,i) *
Ram 2500 Mega Cab 4WD	6.4L V-8	15,240 (a6,k) *

Ram 2500 Mega Cab 4WD	6.7L I-6 TD	14,770 (m6,g) *
Ram 2500 Mega Cab 4WD	6.7L I-6 TD	15,440 (a6,g) *

Ram 3500 Regular Cab Longbed

Ram 3500 Reg Cab LB SRW 2WD	5.7L V-8	11,910 (a6,i) *
Ram 3500 Reg Cab LB SRW 2WD	5.7L V-8	13,910 (a6,k) *
Ram 3500 Reg Cab LB SRW 2WD	6.4L V-8	13,370 (a6,i) *
Ram 3500 Reg Cab LB SRW 2WD	6.4L V-8	16,370 (a6,k) *
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	16,870 (m6,g) *
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	17,910 (a6,g) *
Ram 3500 Reg Cab LB SRW 2WD	6.7L I-6 TD	17,770 (a6,g) * ●
Ram 3500 Reg Cab LB SRW 4WD	5.7L V-8	11,560 (a6,i) *
Ram 3500 Reg Cab LB SRW 4WD	5.7L V-8	13,560 (a6,k) *
Ram 3500 Reg Cab LB SRW 4WD	6.4L V-8	12,970 (a6,i) *
Ram 3500 Reg Cab LB SRW 4WD	6.4L V-8	15,970 (a6,k) *
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	16,520 (m6,g) *
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	17,560 (a6,g) *
Ram 3500 Reg Cab LB SRW 4WD	6.7L I-6 TD	17,420 (a6,g) * ●
Ram 3500 Reg Cab LB DRW 2WD	6.4L V-8	13,020 (a6,i) *
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	16,510 (m6,g) *
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	18,510 (m6,i) *
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	17,550 (a6,g) *
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	19,550 (a6,i) *
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	22,550 (a6,k) *
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	21,410 (a6,g) * ●
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	25,910 (a6,i) * ●
Ram 3500 Reg Cab LB DRW 2WD	6.7L I-6 TD	31,210 (a6,k) * ●
Ram 3500 Reg Cab LB DRW 4WD	6.4L V-8	12,640 (a6,i) *
Ram 3500 Reg Cab LB DRW 4WD	6.4L V-8	16,140 (a6,k) *
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	16,130 (m6,g) *
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	18,130 (m6,i) *
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	17,180 (a6,g) *
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	19,180 (a6,i) *
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	22,180 (a6,k) *
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	21,030 (a6,g) * ●
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	25,530 (a6,i) * ●
Ram 3500 Reg Cab LB DRW 4WD	6.7L I-6 TD	30,830 (a6,k) * ●

Ram 3500 Crew Cab Shortbed

Ram 3500 CC SB SRW 2WD	5.7L V-8	11,520 (a6,i) *
Ram 3500 CC SB SRW 2WD	5.7L V-8	13,520 (a6,k) *
Ram 3500 CC SB SRW 2WD	6.4L V-8	12,970 (a6,i) *
Ram 3500 CC SB SRW 2WD	6.4L V-8	15,970 (a6,k) *
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	16,450 (m6,g) *
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	17,490 (a6,g) *
Ram 3500 CC SB SRW 2WD	6.7L I-6 TD	17,350 (a6,g) * ●
Ram 3500 CC SB SRW 4WD	5.7L V-8	11,200 (a6,i) *
Ram 3500 CC SB SRW 4WD	5.7L V-8	13,200 (a6,k) *
Ram 3500 CC SB SRW 4WD	6.4L V-8	12,640 (a6,i) *
Ram 3500 CC SB SRW 4WD	6.4L V-8	15,640 (a6,k) *
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	16,160 (m6,g) *
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	17,200 (a6,g) *
Ram 3500 CC SB SRW 4WD	6.7L I-6 TD	17,050 (a6,g) * ●

Ram 3500 Crew Cab Longbed

Ram 3500 CC LB SRW 2WD	5.7L V-8	11,410 (a6,i) *
Ram 3500 CC LB SRW 2WD	5.7L V-8	13,410 (a6,k) *
Ram 3500 CC LB SRW 2WD	6.4L V-8	12,830 (a6,i) *
Ram 3500 CC LB SRW 2WD	6.4L V-8	15,830 (a6,k) *
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	16,320 (m6,g) *
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	17,360 (a6,g) *
Ram 3500 CC LB SRW 2WD	6.7L I-6 TD	17,210 (a6,g) * ●
Ram 3500 CC LB SRW 4WD	5.7L V-8	11,020 (a6,i) *
Ram 3500 CC LB SRW 4WD	5.7L V-8	13,020 (a6,k) *
Ram 3500 CC LB SRW 4WD	6.4L V-8	12,470 (a6,i) *
Ram 3500 CC LB SRW 4WD	6.4L V-8	15,470 (a6,k) *
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	15,960 (m6,g) *
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	17,010 (a6,g) *
Ram 3500 CC LB SRW 4WD	6.7L I-6 TD	16,860 (a6,g) * ●
Ram 3500 CC LB DRW 2WD	6.4L V-8	12,450 (a6,i) *
Ram 3500 CC LB DRW 2WD	6.4L V-8	15,950 (a6,k) *
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	15,960 (m6,g) *
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,960 (m6,i) *
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	17,000 (a6,g) *
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	19,000 (a6,i) *
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	22,000 (a6,k) *
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	20,860 (a6,g) * ●
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	25,360 (a6,i) * ●
Ram 3500 CC LB DRW 2WD	6.7L I-6 TD	30,660 (a6,k) * ●
Ram 3500 CC LB DRW 4WD	6.4L V-8	12,100 (a6,i) *
Ram 3500 CC LB DRW 4WD	6.4L V-8	15,600 (a6,k) *
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	15,620 (m6,g) *
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	17,620 (m6,i) *
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	16,660 (a6,g) *
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	18,660 (a6,i) *
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	21,660 (a6,k) *
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	20,520 (a6,g) * ●
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	25,020 (a6,i) * ●
Ram 3500 CC LB DRW 4WD	6.7L I-6 TD	30,320 (a6,k) * ●

Ram 3500 Mega Cab

Ram 3500 Mega Cab SRW 2WD	5.7L V-8	11,210 (a6,i) *
Ram 3500 Mega Cab SRW 2WD	5.7L V-8	13,210 (a6,k) *
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	12,650 (a6,i) *
Ram 3500 Mega Cab SRW 2WD	6.4L V-8	15,650 (a6,k) *
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,100 (m6,g) *
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	17,140 (a6,g) *
Ram 3500 Mega Cab SRW 2WD	6.7L I-6 TD	16,990 (a6,g) * ●
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	10,880 (a6,i) *
Ram 3500 Mega Cab SRW 4WD	5.7L V-8	12,880 (a6,k) *
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	12,320 (a6,i) *
Ram 3500 Mega Cab SRW 4WD	6.4L V-8	15,320 (a6,k) *
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	15,710 (m6,g) *
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,750 (a6,g) *
Ram 3500 Mega Cab SRW 4WD	6.7L I-6 TD	16,600 (a6,g) * ●
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	12,200 (a6,i) *
Ram 3500 Mega Cab DRW 2WD	6.4L V-8	15,700 (a6,k) *
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	15,710 (m6,g) *

2019 TOW RATINGS

Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	17,710 (m6,i) *
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	16,750 (a6,g) *
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	18,750 (a6,i) *
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	21,750 (a6,k) *
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	20,600 (a6,g) * ●
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	25,100 (a6,i) * ●
Ram 3500 Mega Cab DRW 2WD	6.7L I-6 TD	30,400 (a6,k) * ●
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	11,970 (a6,i) *
Ram 3500 Mega Cab DRW 4WD	6.4L V-8	15,470 (a6,k) *
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	15,400 (m6,g) *
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	17,400 (m6,i) *
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	16,440 (a6,g) *
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	18,440 (a6,i) *
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	21,440 (a6,k) *
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	20,300 (a6,g) * ●
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	24,800 (a6,i) * ●
Ram 3500 Mega Cab DRW 4WD	6.7L I-6 TD	30,100 (a6,k) * ●

● HO Cummins * 2018 tow rating. An all-new Ram 2500/3500 Heavy Duty is set to be released in 2019 (no further details available at press time).

FORD MOTOR COMPANY

EcoSport 4WD	2.0L I-4	2,000 (t) ■
Edge AWD	2.0L I-4 TC	3,500 (t)
Edge ST AWD	2.7L V-6 TC	3,500
Escape FWD/4WD	1.5L I-4 TC	2,000 (t) ▲
Escape FWD/4WD	2.0L I-4 TC	3,500 (t)
Explorer FWD	2.3L I-4 TC	2,000 (t) ▲
Explorer FWD/4WD	2.3L I-4 TC	3,000 (t)
Explorer FWD/4WD	3.5L V-6	2,000 (t) ▲
Explorer FWD/4WD	3.5L V-6	5,000 (t) ◆
Explorer 4WD	3.5L V-6 TC	5,000 (t) ▼
Expedition 2WD	3.5L V-6 TC	6,000 (c/f) ◆
Expedition 2WD	3.5L V-6 TC	9,200 (i,t) ◆
Expedition 4WD	3.5L V-6 TC	5,800 (f) ◆#
Expedition 4WD	3.5L V-6 TC	6,000 (f) ◆##
Expedition 4WD	3.5L V-6 TC	9,200 (i,t) ◆
Expedition Max 2WD	3.5L V-6 TC	6,300 (f) ◆
Expedition Max 2WD	3.5L V-6 TC	9,000 (i,t) ◆
Expedition Max 4WD	3.5L V-6 TC	6,000 (f) ◆
Expedition Max 4WD	3.5L V-6 TC	9,000 (i,t) ◆
Flex FWD/AWD	3.5L V-6	4,500 (t) ●
Flex AWD	3.5L V-6 TC	4,500 (t)
Fusion FWD/AWD	2.0L I-4 TC	2,000 (a,t) ■ *
Transit Connect Van/Wagon	All	2,000 (a,t)

◆ Maximum loaded trailer weight requires WD hitch. ▲ Factory-installed towing equipment not offered for this application; available as dealer accessory only.

▼ Class III Trailer Tow Package standard on Sport/Platinum series only. Requires WD hitch.

● Requires WD hitch on FWD models. ■ Factory-installed towing equipment not offered for this application; available as aftermarket accessory only.

* Fusion Hybrid and Fusion Energi are not rated to tow a trailer.

GCWR 12,100 lbs. ## GCWR 12,300 lbs.

F-150 CONVENTIONAL/FIFTH-WHEEL TOWING

Ford F-150 Bed Lengths: Shortbed 5'6"/Standard 6'6"/Longbed 8'

F-150 Regular Cab

F-150 Reg Cab Std Bed 2WD	3.3L V-6	5,100/5,000 (h,t)
F-150 Reg Cab Std Bed 2WD	3.3L V-6	7,700/7,600 (i,t)
F-150 Reg Cab Std Bed 2WD	5.0L V-8	8,400/8,400 (c/f,t)
F-150 Reg Cab Std Bed 2WD	5.0L V-8	9,200/9,200 (h,t)
F-150 Reg Cab Std Bed 2WD	2.7L V-6 TC	7,600/7,600 (h,t)
F-150 Reg Cab Std Bed 2WD	2.7L V-6 TC	8,500/8,500 (i,t)
F-150 Reg Cab Std Bed 4WD	3.3L V-6	5,000/5,000 (h,t)
F-150 Reg Cab Std Bed 4WD	3.3L V-6	7,500/7,500 (i,t)
F-150 Reg Cab Std Bed 4WD	5.0L V-8	8,300/8,300 (f/h,t)
F-150 Reg Cab Std Bed 4WD	5.0L V-8	9,700/9,400 (i,t)
F-150 Reg Cab Std Bed 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 Reg Cab Std Bed 4WD	2.7L V-6 TC	8,400/8,300 (i,t)
F-150 Reg Cab LB 2WD	3.3L V-6	5,100/5,100 (h,t)
F-150 Reg Cab LB 2WD	3.3L V-6	7,700/7,700 (i,t)
F-150 Reg Cab LB 2WD	5.0L V-8	9,200/9,200 (c/f,t)
F-150 Reg Cab LB 2WD	5.0L V-8	10,200/10,200 (h,t)
F-150 Reg Cab LB 2WD	5.0L V-8	11,000/10,900 (i,p,t) ▲
F-150 Reg Cab LB 2WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,400 (i,t)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500/8,500 (i,p,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,100/12,100 (h,t) #
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,000/12,000 (i,p,t) ▲
F-150 Reg Cab LB 4WD	3.3L V-6	7,400/7,400 (i,t)
F-150 Reg Cab LB 4WD	5.0L V-8	9,100/9,100 (f/h,t)
F-150 Reg Cab LB 4WD	5.0L V-8	11,200/11,200 (i,t)
F-150 Reg Cab LB 4WD	5.0L V-8	11,100/11,000 (i,p,t) ▲
F-150 Reg Cab LB 4WD	2.7L V-6 TC	7,600/7,500 (h,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	8,300/8,200 (i,t)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	10,800/10,700 (f/h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	12,000/11,900 (h,t)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	11,800/11,800 (i,p,t) ▲

F-150 SuperCab

F-150 SuperCab Std Bed 2WD	3.3L V-6	5,000/5,000 (h,t)
F-150 SuperCab Std Bed 2WD	3.3L V-6	7,400/7,400 (i,t)
F-150 SuperCab Std Bed 2WD	5.0L V-8	9,200/9,100 (c/f,t)
F-150 SuperCab Std Bed 2WD	5.0L V-8	10,200/10,100 (h,t)
F-150 SuperCab Std Bed 2WD	3.0L V-6 TD	10,100/9,300 (f,t)
F-150 SuperCab Std Bed 2WD	3.0L V-6 TD	11,500/9,300 (h,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	7,700/7,700 (h,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,300/8,300 (i,t)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,300/8,200 (i,p,t)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	12,000/10,800 (h,t)
F-150 SuperCab Std Bed 4WD	3.3L V-6	7,400/7,300 (i,t)
F-150 SuperCab Std Bed 4WD	5.0L V-8	9,100/9,100 (f,t)
F-150 SuperCab Std Bed 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCab Std Bed 4WD	5.0L V-8	11,300/11,000 (i,t)
F-150 SuperCab Std Bed 4WD	3.0L V-6 TD	10,200/8,200 (f/h,t) ◆
F-150 SuperCab Std Bed 4WD	3.0L V-6 TD	10,100/7,700 (f/h,t) ●
F-150 SuperCab Std Bed 4WD	3.0L V-6 TD	11,300/8,200 (h,t) ◆

F-150 SuperCab Std Bed 4WD	3.0L V-6 TD	11,200/7,700 (h,t) ●
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	7,600/7,600 (h,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	8,000/7,900 (i,t)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	9,000/9,000 (i,p,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	10,700/10,700 (f/h,t)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	11,700/10,700 (h,t)
F-150 SuperCab Std Bed 4WD Raptor	3.5L V-6 TC	6,000 (k) *
F-150 SuperCab LB 2WD	5.0L V-8	9,100/9,100 (c/f,t)
F-150 SuperCab LB 2WD	5.0L V-8	10,100/10,100 (h,t)
F-150 SuperCab LB 2WD	5.0L V-8	11,000/10,900 (i,p,t) ▲
F-150 SuperCab LB 2WD	2.7L V-6 TC	7,500/7,400 (h,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,200/8,000 (i,t)
F-150 SuperCab LB 2WD	2.7L V-6 TC	9,000/9,000 (i,p,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	10,600/10,600 (c/h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,800/11,800 (h,t)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,700/11,700 (i,p,t) ▲
F-150 SuperCab LB 4WD	5.0L V-8	9,000/8,900 (f,t)
F-150 SuperCab LB 4WD	5.0L V-8	9,100/9,100 (h,t)
F-150 SuperCab LB 4WD	5.0L V-8	10,700/10,600 (i,p,t) ▲
F-150 SuperCab LB 4WD	5.0L V-8	11,200/10,200 (i,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	10,700/10,600 (f/h,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,600/10,600 (h,t)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,500/11,500 (i,p,t) ▲

F-150 SuperCrew

F-150 SuperCrew SB 2WD	3.3L V-6	5,000/5,000 (h,t) ■
F-150 SuperCrew SB 2WD	3.3L V-6	7,400/7,400 (i,t) ■
F-150 SuperCrew SB 2WD	5.0L V-8	9,100/9,000 (c/f,t) ■
F-150 SuperCrew SB 2WD	5.0L V-8	10,100/10,000 (h,t) ■
F-150 SuperCrew SB 2WD	3.0L V-6 TD	11,200/9,000 (f,t) ■
F-150 SuperCrew SB 2WD	3.0L V-6 TD	11,200/9,000 (h,t) ■
F-150 SuperCrew SB 2WD	2.7L V-6 TC	7,700/7,700 (h,t) ■
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,200/7,800 (i,t) ■
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,200/8,100 (i,p,t) ■
F-150 SuperCrew SB 2WD	3.5L V-6 TC	10,700/10,300 (c/h,t) ■
F-150 SuperCrew SB 2WD	3.5L V-6 TC	12,700/10,300 (h,t) ▼ ■
F-150 SuperCrew SB 2WD Limited	3.5L V-6 TC	11,100/7,600 (h,t) ■
F-150 SuperCrew SB 4WD	3.3L V-6	7,400/7,300 (i,t) ■
F-150 SuperCrew SB 4WD	5.0L V-8	9,000/9,000 (f,t) ■
F-150 SuperCrew SB 4WD	5.0L V-8	9,100/9,100 (h,t) ■
F-150 SuperCrew SB 4WD	5.0L V-8	10,900/10,500 (i,t) ■
F-150 SuperCrew SB 4WD	3.0L V-6 TD	10,300/8,000 (f/h,t) ◆ ■
F-150 SuperCrew SB 4WD	3.0L V-6 TD	10,100/7,300 (f/h,t) ● ■
F-150 SuperCrew SB 4WD	3.0L V-6 TD	11,300/8,000 (h,t) ◆ ■■
F-150 SuperCrew SB 4WD	3.0L V-6 TD	10,900/7,300 (h,t) ● ■■
F-150 SuperCrew SB 4WD	2.7L V-6 TC	7,600/7,500 (h,t) ■
F-150 SuperCrew SB 4WD	2.7L V-6 TC	8,000/7,600 (i,t) ■
F-150 SuperCrew SB 4WD	2.7L V-6 TC	8,900/8,900 (i,p,t) ■
F-150 SuperCrew SB 4WD	3.5L V-6 TC	10,700/10,000 (f/h,t) ■
F-150 SuperCrew SB 4WD	3.5L V-6 TC	12,700/10,000 (h,t) ▼ ■
F-150 SuperCrew SB 4WD Limited	3.5L V-6 TC	9,300/5,900 (h,t) ■
F-150 SuperCrew SB 4WD Raptor	3.5L V-6 TC	8,000 (k) ■
F-150 SuperCrew Std Bed 2WD	5.0L V-8	9,100/9,000 (c/f,t)
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,100/10,000 (h,t)

F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,900/10,900 (i,p,t) ▲
F-150 SuperCrew Std Bed 2WD	3.0L V-6 TD	10,100/8,600 (f,t)
F-150 SuperCrew Std Bed 2WD	3.0L V-6 TD	11,300/8,600 (h,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	7,700/7,700 (h,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	8,200/8,100 (i,t)
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	9,000/8,900 (i,p,t)
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	10,700/10,600 (c/h,t)
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	12,300/11,800 (h,t) ▼
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	11,700/11,600 (i,p,t) ▲
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,000/8,900 (f,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,100/9,000 (h,t)
F-150 SuperCrew Std Bed 4WD	5.0L V-8	10,700/10,700 (i,p,t) ▲
F-150 SuperCrew Std Bed 4WD	5.0L V-8	11,500/10,700 (i,t)
F-150 SuperCrew Std Bed 4WD	3.0L V-6 TD	10,300/8,000 (f/h,t) ◆
F-150 SuperCrew Std Bed 4WD	3.0L V-6 TD	11,300/8,000 (h,t) ●
F-150 SuperCrew Std Bed 4WD	3.0L V-6 TD	11,100/7,200 (f/h,t) ◆
F-150 SuperCrew Std Bed 4WD	3.0L V-6 TD	11,300/8,000 (h,t) ●
F-150 SuperCrew Std Bed 4WD	3.0L V-6 TD	11,100/7,200 (h,t) ◆
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	10,700/10,400 (f/h,t)
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	12,900/10,400 (h,t) ▼
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	11,500/11,400 (i,p,t) ▲

For conventional towing, maximum loaded trailer weight requires WD hitch.

■ Vehicles equipped with 5'6" box will accept a fifth-wheel hitch, but current fifth-wheel designs are not compatible with this model.

▲ Includes 18" tires and wheels ▼ Requires 20" tires and wheels

◆ Electronic Shift-on-the-Fly transmission ● 2-speed automatic 4WD transmission

* 133" wheelbase # GCWR 17,000 lbs. ## GCWR 17,100 lbs.

F-250 SRW CONVENTIONAL TOWING

WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

Ford F-250/F-350/F-450 Bed Lengths: Shortbed 6'9"/Longbed 8'

F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,000/13,300 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	13,000/14,000 (l)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	14,000/15,000 (f/h) ◆
F-250 Reg Cab LB 4WD	6.2L V-8	12,900 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,000 (l)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	14,000/15,000 (f/h) ◆

F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (l)
F-250 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h) ◆
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,800 (f/h) 5
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h) ◆
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h) ◆
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,200 (f/h) 4
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,900 (f/h) 5
F-250 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h,t) 7

F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 CC SB 2WD	6.7L V-8 TD	15,000 (f/h) ♦
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (l)
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h) ³
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) ⁵
F-250 CC SB 4WD	6.7L V-8 TD	15,000 (f/h,t) ⁸
F-250 CC LB 2WD	6.2L V-8	12,700 (i)
F-250 CC LB 2WD	6.2L V-8	14,000/15,000 (l)
F-250 CC LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	18,000 (f/h,t) ⁸
F-250 CC LB 4WD	6.2L V-8	12,300 (i)
F-250 CC LB 4WD	6.2L V-8	14,800 (l)
F-250 CC LB 4WD	6.7L V-8 TD	12,500 (f/h) ¹
F-250 CC LB 4WD	6.7L V-8 TD	13,200 (f/h) ²
F-250 CC LB 4WD	6.7L V-8 TD	17,500 (f/h,t) ⁸

GCWR exceptions (lbs.): ¹20,600, ²21,300, ³21,900, ⁴22,000, ⁵22,500, ⁶22,700,

⁷25,200, ⁸25,700 ♦ May require tow package depending on GCWR selected.

Consult Ford's 2019 RV & Trailer Towing Guide or dealer for details.

F-250 SRW FIFTH-WHEEL/GOOSENECK TOWING

F-250 Regular Cab

F-250 Reg Cab LB 2WD	6.2L V-8	13,300 (i)
F-250 Reg Cab LB 2WD	6.2L V-8	15,800 (l)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	16,500 (f/h)
F-250 Reg Cab LB 2WD	6.7L V-8 TD	18,500 (f/h,t) *
F-250 Reg Cab LB 4WD	6.2L V-8	12,800 (i)
F-250 Reg Cab LB 4WD	6.2L V-8	15,300 (l)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,000 (f/h)
F-250 Reg Cab LB 4WD	6.7L V-8 TD	16,500 (f/h,t)

F-250 SuperCab

F-250 SuperCab SB 2WD	6.2L V-8	13,000 (i)
F-250 SuperCab SB 2WD	6.2L V-8	15,500 (l)
F-250 SuperCab SB 2WD	6.7L V-8 TD	16,200 (f/h)
F-250 SuperCab SB 2WD	6.7L V-8 TD	17,300 (f/h,t)
F-250 SuperCab SB 4WD	6.2L V-8	12,600 (i)
F-250 SuperCab SB 4WD	6.2L V-8	15,100 (l)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,800 (f/h,t)
F-250 SuperCab SB 4WD	6.7L V-8 TD	14,800 (f/h) ⁶
F-250 SuperCab SB 4WD	6.7L V-8 TD	15,400 (f/h) ⁸
F-250 SuperCab LB 2WD	6.2L V-8	12,900 (i)
F-250 SuperCab LB 2WD	6.2L V-8	15,400 (l)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,100 (f/h)
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,400 (f/h,t)
F-250 SuperCab LB 4WD	6.2L V-8	12,500 (i)
F-250 SuperCab LB 4WD	6.2L V-8	15,000 (l)
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,000 (f/h,t) ⁵
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,100 (f/h) ³
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,700 (f/h) ⁷

F-250 Crew Cab

F-250 CC SB 2WD	6.2L V-8	12,900 (i)
F-250 CC SB 2WD	6.2L V-8	15,400 (l)
F-250 CC SB 2WD	6.7L V-8 TD	16,100 (f/h)
F-250 CC SB 2WD	6.7L V-8 TD	16,600 (f/h,t)
F-250 CC SB 4WD	6.2L V-8	12,500 (i)
F-250 CC SB 4WD	6.2L V-8	15,000 (l)
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h,t) ⁴
F-250 CC SB 4WD	6.7L V-8 TD	14,100 (f/h)
F-250 CC SB 4WD	6.7L V-8 TD	14,700 (f/h) ⁶
F-250 CC LB 2WD	6.2L V-8	12,700 (i)
F-250 CC LB 2WD	6.2L V-8	15,200 (l)
F-250 CC LB 2WD	6.7L V-8 TD	15,100 (f/h)
F-250 CC LB 2WD	6.7L V-8 TD	15,100 (f/h,t) ⁸
F-250 CC LB 2WD	6.7L V-8 TD	15,800 (f/h) ⁹
F-250 CC LB 4WD	6.2L V-8	12,200 (i)
F-250 CC LB 4WD	6.2L V-8	14,700 (l)
F-250 CC LB 4WD	6.7L V-8 TD	12,300 (f/h)
F-250 CC LB 4WD	6.7L V-8 TD	12,300 (f/h,t) ¹
F-250 CC LB 4WD	6.7L V-8 TD	13,000 (f/h) ²

GCWR exceptions (lbs.): ¹20,900, ²21,300, ³22,000, ⁴22,200, ⁵22,400, ⁶22,500,

⁷22,700, ⁸23,100, ⁹23,500 * Gooseneck tow rating shown. Fifth-wheel tow rating limited to fifth-wheel hitch rating of 18,000 lbs.

F-350 SRW CONVENTIONAL TOWING

WEIGHT-CARRYING/WEIGHT-DISTRIBUTING

F-350 Regular Cab

F-350 Reg Cab 2WD	6.2L V-8	13,000/13,100 (i)
F-350 Reg Cab 2WD	6.2L V-8	13,000/14,000 (l)
F-350 Reg Cab 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 Reg Cab 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab 4WD	6.2L V-8	12,600 (i) •
F-350 Reg Cab 4WD	6.2L V-8	15,000 (l)
F-350 Reg Cab 4WD	6.7L V-8 TD	14,000/15,000 (f/h)

F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,900 (i)
F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i) •
F-350 SuperCab SB 2WD	6.2L V-8	13,000/14,000 (l)
F-350 SuperCab SB 2WD	6.7L V-8 TD	14,000/15,000 (f/h)
F-350 SuperCab SB 4WD	6.2L V-8	12,400 (i)
F-350 SuperCab SB 4WD	6.2L V-8	15,000 (l)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000/14,700 (f/h)
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,000/15,000 (f/h) ⁴
F-350 SuperCab LB 2WD	6.2L V-8	12,700/12,800 (i)
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i) •
F-350 SuperCab LB 2WD	6.2L V-8	15,000 (l)
F-350 SuperCab LB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 SuperCab LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB 4WD	6.2L V-8	15,000 (l)
F-350 SuperCab LB 4WD	6.7L V-8 TD	14,000 (f/h)
F-350 SuperCab LB 4WD	6.7L V-8 TD	15,000 (f/h) ⁴

F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,700 (i)
F-350 CC SB 2WD	6.2L V-8	12,600 (i) •
F-350 CC SB 2WD	6.2L V-8	15,000 (i)
F-350 CC SB 2WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC SB 4WD	6.2L V-8	12,300 (i)
F-350 CC SB 4WD	6.2L V-8	12,200 (i) •◆
F-350 CC SB 4WD	6.2L V-8	15,000 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,700 (f/h) ²
F-350 CC SB 4WD	6.7L V-8 TD	15,000 (f/h)
F-350 CC LB 2WD	6.2L V-8	12,500 (i)
F-350 CC LB 2WD	6.2L V-8	12,400 (i) •
F-350 CC LB 2WD	6.2L V-8	15,000 (i)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h) ³
F-350 CC LB 2WD	6.7L V-8 TD	18,000 (f/h)
F-350 CC LB 4WD	6.2L V-8	12,100 (i)
F-350 CC LB 4WD	6.2L V-8	12,000 (i) •◆
F-350 CC LB 4WD	6.2L V-8	15,000 (i)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h) ¹
F-350 CC LB 4WD	6.7L V-8 TD	18,000 (f/h) •◆

GCWR exceptions (lbs.): ¹20,200, ²21,600, ³22,600, ⁴28,700 • 18" tires ◆ 20" tires

F-350 SRW FIFTH-WHEEL/GOOSENECK TOWING**F-350 Regular Cab**

F-350 Reg Cab 2WD	6.2L V-8	13,100/13,000 (i) •
F-350 Reg Cab 2WD	6.2L V-8	16,600/16,500 (i) •
F-350 Reg Cab 2WD	6.7L V-8 TD	18,800 (f/h) *
F-350 Reg Cab 2WD	6.7L V-8 TD	21,500 (f/h) •▲* ⁸
F-350 Reg Cab 4WD	6.2L V-8	12,700/12,600 (i) •◆
F-350 Reg Cab 4WD	6.2L V-8	16,200/16,100 (i) •◆
F-350 Reg Cab 4WD	6.7L V-8 TD	15,400 (f/h)
F-350 Reg Cab 4WD	6.7L V-8 TD	21,100 (f/h) •◆▲* ⁸

F-350 SuperCab

F-350 SuperCab SB 2WD	6.2L V-8	12,800 (i)
F-350 SuperCab SB 2WD	6.2L V-8	16,300 (i)
F-350 SuperCab SB 2WD	6.7L V-8 TD	17,500 (f/h)
F-350 SuperCab SB 2WD	6.7L V-8 TD	21,300 (f/h) •▲* ⁸
F-350 SuperCab SB 4WD	6.2L V-8	12,400/12,300 (i) •◆
F-350 SuperCab SB 4WD	6.2L V-8	15,900/15,800 (i) •◆
F-350 SuperCab SB 4WD	6.7L V-8 TD	14,700 (f/h) ⁴
F-350 SuperCab SB 4WD	6.7L V-8 TD	20,900/20,800 (f/h) •◆▲* ⁸
F-350 SuperCab LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB 2WD	6.7L V-8 TD	16,700 (f/h)
F-350 SuperCab LB 2WD	6.7L V-8 TD	21,100/21,200 (f/h) •▲* ⁸
F-350 SuperCab LB 4WD	6.2L V-8	12,300/12,200 (i) •◆
F-350 SuperCab LB 4WD	6.2L V-8	15,800/15,700 (i) •◆
F-350 SuperCab LB 4WD	6.7L V-8 TD	14,000 (f/h) ³
F-350 SuperCab LB 4WD	6.7L V-8 TD	20,800/20,700 (f/h) •◆▲* ⁸

F-350 Crew Cab

F-350 CC SB 2WD	6.2L V-8	12,700/12,600 (i) •
F-350 CC SB 2WD	6.2L V-8	16,200/16,100 (i) •

F-350 CC SB 2WD	6.7L V-8 TD	16,300 (f/h)
F-350 CC SB 2WD	6.7L V-8 TD	21,000 (f/h) ▲* ⁷
F-350 CC SB 2WD	6.7L V-8 TD	21,100 (f/h) •* ⁸
F-350 CC SB 4WD	6.2L V-8	12,200 (i)
F-350 CC SB 4WD	6.2L V-8	15,700 (i)
F-350 CC SB 4WD	6.7L V-8 TD	13,600 (f/h) ²
F-350 CC SB 4WD	6.7L V-8 TD	20,600 (f/h) ▲* ⁷
F-350 CC SB 4WD	6.7L V-8 TD	20,700 (f/h) •◆* ⁸
F-350 CC LB 2WD	6.2L V-8	12,400 (i)
F-350 CC LB 2WD	6.2L V-8	15,900 (i)
F-350 CC LB 2WD	6.7L V-8 TD	14,800 (f/h) ⁵
F-350 CC LB 2WD	6.7L V-8 TD	20,600 (f/h) ▲* ⁶
F-350 CC LB 2WD	6.7L V-8 TD	20,800 (f/h) •* ⁸
F-350 CC LB 4WD	6.2L V-8	12,000 (i)
F-350 CC LB 4WD	6.2L V-8	15,500 (i)
F-350 CC LB 4WD	6.7L V-8 TD	12,000 (f/h) ¹
F-350 CC LB 4WD	6.7L V-8 TD	20,400 (f/h) •◆▲* ⁸

GCWR exceptions (lbs.): ¹20,200, ²21,600, ³21,900, ⁴22,500, ⁵22,600, ⁶28,400,

⁷28,600, ⁸28,700 • 18" tires ◆ 20" tires ▲ 17" tires * Gooseneck tow rating shown. Fifth-wheel tow rating limited to fifth-wheel hitch rating of 18,000 lbs.

F-350/F-450 DRW CONVENTIONAL TOWING WEIGHT-CARRYING/WEIGHT-DISTRIBUTING**F-350 Regular Cab**

F-350 Reg Cab DRW 2WD	6.2L V-8	13,200 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,700 (i)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 Reg Cab DRW 4WD	6.2L V-8	12,800 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,300 (i)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	18,000/20,000 (h/k)
F-450 Reg Cab DRW 2WD/4WD	6.7L V-8 TD	21,000 (i)

F-350 SuperCab

F-350 SuperCab LB DRW 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab LB DRW 2WD	6.2L V-8	16,200 (i)
F-350 SuperCab LB DRW 2WD	6.7L V-8 TD	18,000/21,000 (h/k)
F-350 SuperCab LB DRW 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab LB DRW 4WD	6.2L V-8	15,800 (i)
F-350 SuperCab LB DRW 4WD	6.7L V-8 TD	19,000/21,000 (h/k)

F-350/F-450 Crew Cab

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (i)
F-350 CC LB DRW 2WD	6.7L V-8 TD	19,000/21,000 (h/k)
F-350 CC LB DRW 4WD	6.2L V-8	12,100 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,600 (i)
F-350 CC LB DRW 4WD	6.7L V-8 TD	21,000 (h/k)
F-450 CC LB DRW 2WD/4WD	6.7L V-8 TD	21,000 (i)

F-350/F-450 DRW FIFTH-WHEEL/GOOSENECK TOWING**F-350 Regular Cab**

F-350 Reg Cab DRW 2WD	6.2L V-8	13,100 (i)
F-350 Reg Cab DRW 2WD	6.2L V-8	16,600 (i)
F-350 Reg Cab DRW 2WD	6.7L V-8 TD	28,400 (h) *

2019 TOW RATINGS

F-350 Reg Cab DRW 2WD	6.7L V-8 TD	32,000 (k) *
F-350 Reg Cab DRW 4WD	6.2L V-8	12,700 (i)
F-350 Reg Cab DRW 4WD	6.2L V-8	16,200 (l)
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	28,000 (h) *
F-350 Reg Cab DRW 4WD	6.7L V-8 TD	32,000 (k) *
F-450 Reg Cab DRW 2WD	6.7L V-8 TD	35,000 (l) *
F-450 Reg Cab DRW 4WD	6.7L V-8 TD	34,700 (l) *

F-350 SuperCab

F-350 SuperCab DRW LB 2WD	6.2L V-8	12,700 (i)
F-350 SuperCab DRW LB 2WD	6.2L V-8	16,200 (l)
F-350 SuperCab DRW LB 2WD	6.7L V-8 TD	28,000 (h) *
F-350 SuperCab DRW LB 2WD	6.7L V-8 TD	32,000 (k) *
F-350 SuperCab DRW LB 4WD	6.2L V-8	12,300 (i)
F-350 SuperCab DRW LB 4WD	6.2L V-8	15,800 (l)
F-350 SuperCab DRW LB 4WD	6.7L V-8 TD	27,600 (h) *
F-350 SuperCab DRW LB 4WD	6.7L V-8 TD	31,600 (k) *

F-350/F-450 Crew Cab

F-350 CC LB DRW 2WD	6.2L V-8	12,500 (i)
F-350 CC LB DRW 2WD	6.2L V-8	16,000 (l)
F-350 CC LB DRW 2WD	6.7L V-8 TD	27,800 (h) *
F-350 CC LB DRW 2WD	6.7L V-8 TD	31,800 (k) *
F-350 CC LB DRW 4WD	6.2L V-8	12,100 (i)
F-350 CC LB DRW 4WD	6.2L V-8	15,600 (l)
F-350 CC LB DRW 4WD	6.7L V-8 TD	27,300 (h)
F-350 CC LB DRW 4WD	6.7L V-8 TD	31,300 (k) *
F-450 CC LB DRW 2WD	6.7L V-8 TD	34,000 (l) *
F-450 CC LB DRW 4WD	6.7L V-8 TD	32,500 (l) *

Towing capability reduced based on trim series, option content and payload. See dealer for details. * Gooseneck tow rating shown. Fifth-wheel tow rating limited to fifth-wheel hitch rating of 27,500 lbs.

LINCOLN

MKC FWD	2.0L I-4 TC	2,000 ■ ●
MKC AWD	All	3,000 (t) ●
MKT FWD	3.7L V-6	2,000 ■
MKT AWD	3.5L V-6 TC	4,500 (t)
Nautilus FWD/AWD	All	3,500 (t)
Navigator 2WD/4WD	3.5L V-6 TC	6,200 ▼
Navigator 2WD	3.5L V-6 TC	8,600 (t) ▼
Navigator 4WD	3.5L V-6 TC	8,300 (t) ▼
Navigator L 2WD/4WD	3.5L V-6 TC	6,600 ▼
Navigator L 2WD	3.5L V-6 TC	8,400 (t) ▼
Navigator L 4WD	3.5L V-6 TC	8,100 (t) ▼

■ MKC and MKT do not offer factory-installed towing equipment for this application; available as aftermarket accessory only. ● Certain states require electric trailer brakes for trailers over a specified weight. Maximum trailer weights may be limited to these specified weights, as the electrical system does not include the wiring connector needed to activate electric trailer brakes. ▼ Maximum loaded trailer weight requires WD hitch.

TRANSIT CARGO VAN

150/250 Regular Wheelbase

Transit 150/250 RWB LR	3.7L V-6	5,400 (i,t)
------------------------	----------	-------------

Transit 150/250 RWB LR	3.7L V-6	6,600 (k,t)
Transit 150/250 RWB LR	3.5L V-6 TC	5,700 (f,t)
Transit 150/250 RWB LR	3.5L V-6 TC	7,100 (i,t)
Transit 150/250 RWB LR	3.2L I-5 TD	4,800 (f,t)
Transit 150/250 RWB MR	3.7L V-6	5,200 (i,t)
Transit 150/250 RWB MR	3.7L V-6	6,400 (k,t)
Transit 150/250 RWB MR	3.5L V-6 TC	5,500 (f,t)
Transit 150/250 RWB MR	3.5L V-6 TC	6,900 (i,t)
Transit 150/250 RWB MR	3.2L I-5 TD	4,600 (f,t)

150/250 Long Wheelbase

Transit 150/250 LWB LR	3.7L V-6	5,200 (i,t)
Transit 150/250 LWB LR	3.7L V-6	6,400 (k,t)
Transit 150/250 LWB LR	3.5L V-6 TC	5,600 (f,t)
Transit 150/250 LWB LR	3.5L V-6 TC	7,000 (i,t)
Transit 150/250 LWB LR	3.2L I-5 TD	4,600 (f,t)
Transit 150/250 LWB LR	3.2L I-5 TD	7,500 (i,t)
Transit 150/250 LWB MR	3.7L V-6	5,100 (i,t)
Transit 150/250 LWB MR	3.7L V-6	6,300 (k,t)
Transit 150/250 LWB MR	3.5L V-6 TC	5,400 (f,t)
Transit 150/250 LWB MR	3.5L V-6 TC	6,800 (i,t)
Transit 150/250 LWB MR	3.2L I-5 TD	4,500 (f,t)
Transit 150/250 LWB MR	3.2L I-5 TD	7,400 (i,t)

250 Long Wheelbase

Transit 250 LWB HR	3.7L V-6	6,200 (k,t)
Transit 250 LWB HR	3.5L V-6 TC	5,300 (f,t)
Transit 250 LWB HR	3.5L V-6 TC	6,700 (i,t)
Transit 250 LWB HR	3.2L I-5 TD	4,400 (f,t)
Transit 250 LWB HR	3.2L I-5 TD	7,300 (i,t)
Transit 250 LWB EL HR	3.7L V-6	6,000 (k,t)
Transit 250 LWB EL HR	3.5L V-6 TC	5,100 (f,t)
Transit 250 LWB EL HR	3.5L V-6 TC	6,500 (i,t)
Transit 250 LWB EL HR	3.2L I-5 TD	4,200 (f,t)
Transit 250 LWB EL HR	3.2L I-5 TD	7,100 (i,t)

350 Regular Wheelbase

Transit 350 RWB LR	3.7L V-6	5,400 (i,t)
Transit 350 RWB LR	3.7L V-6	6,600 (k,t)
Transit 350 RWB LR	3.5L V-6 TC	5,700 (f,t)
Transit 350 RWB LR	3.5L V-6 TC	7,100 (i,t)
Transit 350 RWB LR	3.2L I-5 TD	4,800 (f,t)
Transit 350 RWB MR	3.7L V-6	5,200 (i,t)
Transit 350 RWB MR	3.7L V-6	6,400 (k,t)
Transit 350 RWB MR	3.5L V-6 TC	5,500 (f,t)
Transit 350 RWB MR	3.5L V-6 TC	6,900 (i,t)
Transit 350 RWB MR	3.2L I-5 TD	4,600 (f,t)

350 Long Wheelbase

Transit 350 LWB LR	3.7L V-6	5,200 (i,t)
Transit 350 LWB LR	3.7L V-6	6,400 (k,t)
Transit 350 LWB LR	3.5L V-6 TC	5,600 (f,t)
Transit 350 LWB LR	3.5L V-6 TC	7,000 (i,t)
Transit 350 LWB MR	3.7L V-6	5,100 (i,t)

Transit 350 LWB MR	3.7L V-6	6,300 (k,t)
Transit 350 LWB MR	3.5L V-6 TC	5,400 (f,t)
Transit 350 LWB MR	3.5L V-6 TC	6,800 (i,t)
Transit 350 LWB MR	3.2L I-5 TD	4,500 (f,t)
Transit 350 LWB MR	3.2L I-5 TD	7,400 (i,t)
Transit 350 LWB HR	3.7L V-6	6,200 (k,t)
Transit 350 LWB HR	3.5L V-6 TC	5,300 (f,t)
Transit 350 LWB HR	3.5L V-6 TC	6,700 (i,t)
Transit 350 LWB HR	3.2L I-5 TD	4,400 (f,t)
Transit 350 LWB HR	3.2L I-5 TD	7,300 (i,t)
Transit 350 LWB EL HR	3.7L V-6	6,000 (k,t)
Transit 350 LWB EL HR	3.5L V-6 TC	5,100 (f,t)
Transit 350 LWB EL HR	3.5L V-6 TC	6,500 (i,t)
Transit 350 LWB EL HR	3.5L V-6 TC	6,700 (i,t) *
Transit 350 LWB EL HR	3.2L I-5 TD	4,200 (f,t)
Transit 350 LWB EL HR	3.2L I-5 TD	7,100 (i,t)

* GCWR 13,000 lbs.

TRANSIT PASSENGER VAN

150 Regular Wheelbase

Transit 150 RWB LR	3.7L V-6	4,700 (i,t)
Transit 150 RWB LR	3.5L V-6 TC	5,000 (f/i,t)
Transit 150 RWB MR	3.7L V-6	4,500 (i,t)
Transit 150 RWB MR	3.5L V-6 TC	4,900 (f/i,t)

350 Long Wheelbase

Transit 350 LWB LR	3.7L V-6	4,300 (i,t)
Transit 350 LWB LR	3.7L V-6	4,700 (k,t)
Transit 350 LWB LR	3.5L V-6 TC	4,600 (f/i,t)
Transit 350 LWB LR	3.2L I-5 TD	3,800 (f,t)
Transit 350 LWB LR	3.2L I-5 TD	4,400 (i,t)
Transit 350 LWB MR	3.7L V-6	4,100 (i,t)
Transit 350 LWB MR	3.7L V-6	4,500 (k,t)
Transit 350 LWB MR	3.5L V-6 TC	4,500 (f/i,t)
Transit 350 LWB MR	3.2L I-5 TD	3,600 (f,t)
Transit 350 LWB MR	3.2L I-5 TD	4,200 (i,t)
Transit 350 LWB HR	3.7L V-6	4,500 (k,t)
Transit 350 LWB HR	3.5L V-6 TC	4,400 (f/i,t)
Transit 350 LWB HR	3.2L I-5 TD	3,500 (f,t)
Transit 350 LWB HR	3.2L I-5 TD	4,100 (i,t)
Transit 350 LWB EL HR	3.7L V-6	3,100 (k,t)
Transit 350 LWB EL HR	3.5L V-6 TC	3,800 (i,t)
Transit 350 LWB EL HR	3.2L I-5 TD	3,500 (i,t)

GENERAL MOTORS

BUICK

Enclave Avenir/Essence/Premium	3.6L V-6	5,000 (t)
--------------------------------	----------	-----------

CADILLAC

Escalade 2WD	6.2L V-8	8,300
Escalade 4WD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV 4WD	6.2L V-8	7,900
XT4	2.0L I-4 TC	3,500 (t)

XT5 FWD/AWD	3.6L V-6	3,500 (t)
-------------	----------	-----------

CHEVROLET COLORADO/GMC CANYON

Colorado/Canyon	2.5L I-4	3,500 (t)
Colorado/Canyon CC 2WD	2.8L TD	7,700 (t)
Colorado/Canyon CC 4WD	2.8L TD	7,600 (t)
Colorado Ext Cab	2.8L TD	7,700 (t)
Colorado/Canyon	3.6L V-6	7,000 (t)
Colorado ZR2	All	5,000

CHEVROLET EQUINOX, TRAVERSE/GMC ACADIA, TERRAIN

Chevrolet Blazer	3.6L V-6	4,500 *
Chevrolet Equinox/GMC Terrain	2.0L I-4 TC	3,500 (t)
Chevrolet Traverse	3.6L V-6	5,000 (t)
GMC Acadia	3.6L V-6	4,000 (t)
GMC Acadia Denali	3.6L V-6	4,000

* Estimated

CHEVROLET EXPRESS/GMC SAVANA

Express/Savana 2500 CV	4.3L V-6	7,200 (t)
Express/Savana 2500 CV	6.0L V-8	10,000 (t)
Express/Savana 2500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 2500 LWB CV	4.3L V-6	6,900 (t)
Express/Savana 2500 LWB CV	6.0L V-8	9,800 (t)
Express/Savana 2500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 2500 PV	4.3L V-6	6,500 (t)
Express/Savana 2500 PV	6.0L V-8	9,400 (t)
Express/Savana 2500 PV	2.8L I-4 TD	6,100 (t)
Express/Savana 3500 CV	4.3L V-6	7,200 (t)
Express/Savana 3500 CV	6.0L V-8	10,000 (t)
Express/Savana 3500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 3500 LWB CV	4.3L V-6	7,000 (t)
Express/Savana 3500 LWB CV	6.0L V-8	9,900 (t)
Express/Savana 3500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 3500 PV	4.3L V-6	6,500 (t)
Express/Savana 3500 PV	6.0L V-8	9,400 (t)
Express/Savana 3500 PV	2.8L I-4 TD	6,000 (t)
Express/Savana 3500 LWB PV	4.3L V-6	6,100 (t)
Express/Savana 3500 LWB PV	6.0L V-8	9,000 (t)
Express/Savana 3500 LWB PV	2.8L I-4 TD	5,700 (t)

CHEVROLET SILVERADO/GMC SIERRA 1500

CONVENTIONAL/FIFTH-WHEEL TOWING

Chevrolet/GMC Bed Lengths: Shortbed 5'8"/Standard 6'6"/Longbed 8'

1500 Regular Cab

1500 Reg Cab LB 2WD	4.3L V-6	7,900 (g,t)
1500 Reg Cab LB 2WD	5.3L V-8	10,100 (g,t)
1500 Reg Cab LB 4WD	4.3L V-6	7,700 (g,t)
1500 Reg Cab LB 4WD	5.3L V-8	9,900 (g,t)

1500 Double Cab

1500 DC 2WD	2.7L I-4 TC	7,000 (g,t)
1500 DC 2WD	4.3L V-6	7,700 (g,t)
1500 DC 2WD	5.3L V-8	9,900 (e,t)

1500 DC 2WD	5.3L V-8	9,800 (g,t)
1500 DC 2WD	5.3L V-8	11,600 (g,p,t)
1500 DC 4WD	2.7L I-4 TC	6,700 (g,t)
1500 DC 4WD	4.3L V-6	7,500 (g,t)
1500 DC 4WD Trail Boss	4.3L V-6	7,400 (g)
1500 DC 4WD	5.3L V-8	9,700 (e,t)
1500 DC 4WD	5.3L V-8	9,600 (g,t)
1500 DC 4WD	5.3L V-8	11,400 (g,p,t)
1500 DC 4WD Trail Boss	5.3L V-8	9,500 (g)
1500 DC 4WD	6.2L V-8	9,300 (e,t)
1500 DC 4WD	6.2L V-8	12,200 (g,p,t)
1500 LD DC 2WD	5.3L V-8	9,400/9,400 (g,t)
1500 LD DC 4WD	5.3L V-8	9,200/9,000 (g,t)

1500 Crew Cab

1500 CC SB 2WD	2.7L I-4 TC	6,900 (g,t)
1500 CC SB 2WD	4.3L V-6	7,700 (g,t)
1500 CC SB 2WD	5.3L V-8	9,800 (e/g,t)
1500 CC SB 2WD	5.3L V-8	11,600 (g,p,t)
1500 CC SB 4WD	2.7L I-4 TC	6,700 (g,t)
1500 CC SB 4WD	4.3L V-6	7,500 (g,t)
1500 CC SB 4WD Trail Boss	4.3L V-6	7,300 (g)
1500 CC SB 4WD	5.3L V-8	9,600 (e,t)
1500 CC SB 4WD Trail Boss	5.3L V-8	9,500 (g)
1500 CC SB 4WD	5.3L V-8	9,500 (g,t)
1500 CC SB 4WD	5.3L V-8	11,400 (g,p,t)
1500 CC SB 4WD	6.2L V-8	9,300 (e,t)
1500 CC SB 4WD	6.2L V-8	12,100 (g,p,t)
1500 CC Std Bed 2WD	4.3L V-6	7,600 (g,t)
1500 CC Std Bed 2WD	2.7L I-4 TC	6,900 (g,t)
1500 CC Std Bed 2WD	5.3L V-8	9,800 (e,t)
1500 CC Std Bed 2WD	5.3L V-8	9,700 (g,t)
1500 CC Std Bed 2WD	5.3L V-8	11,500 (g,p,t)
1500 CC Std Bed 4WD	4.3L V-6	7,400 (g,t)
1500 CC Std Bed 4WD Trail Boss	4.3L V-6	7,300 (g)
1500 CC Std Bed 4WD	2.7L I-4 TC	6,700 (g,t)
1500 CC Std Bed 4WD	5.3L V-8	9,500 (g,t)
1500 CC Std Bed 4WD Trail Boss	5.3L V-8	9,400 (g)
1500 CC Std Bed 4WD	5.3L V-8	9,600 (e,t)
1500 CC Std Bed 4WD Trail Boss	5.3L V-8	9,400 (e)
1500 CC Std Bed 4WD AT4	5.3L V-8	9,300 (e)
1500 CC Std Bed 4WD	5.3L V-8	11,300 (g,p,t)
1500 CC Std Bed 4WD AT4	6.2L V-8	9,100 (e)
1500 CC Std Bed 4WD	6.2L V-8	9,200 (e,t)
1500 CC Std Bed 4WD	6.2L V-8	12,000 (g,p,t)

Conventional towing limit only if single tow limit listed. Trailering Package standard on Trail Boss, LTZ and High Country models. Ratings for Silverado and Sierra models may vary slightly. See dealer for details.

CHEVROLET SILVERADO/GMC SIERRA 2500 CONVENTIONAL/FIFTH-WHEEL TOWING

2500 Double Cab

2500 DC Std Bed 4WD	6.0L V-8	9,700/9,700 (i)
2500 DC Std Bed 4WD	6.0L V-8	13,000/14,200 (k)

2500 DC LB 2WD	6.0L V-8	9,900/9,900 (i)
2500 DC LB 2WD	6.0L V-8	14,400/14,400 (k)
2500 DC LB 4WD	6.0L V-8	9,600/9,600 (i)
2500 DC LB 4WD	6.0L V-8	14,100/14,100 (k)

2500 Crew Cab

2500 CC Std Bed 2WD	6.0L V-8	9,900/9,800 (i)
2500 CC Std Bed 2WD	6.0L V-8	13,000/14,300 (k)
2500 CC Std Bed 2WD	6.6L V-8 TD	13,000/15,400 (i)
2500 CC Std Bed 4WD	6.0L V-8	9,600/9,500 (i)
2500 CC Std Bed 4WD	6.0L V-8	13,000/14,000 (k)
2500 CC Std Bed 4WD	6.6L V-8 TD	13,000/13,500 (i)
2500 CC LB 2WD	6.0L V-8	9,800/9,700 (i)
2500 CC LB 2WD	6.0L V-8	14,300/14,200 (k)
2500 CC LB 2WD	6.6L V-8 TD	14,500/14,800 (i)
2500 CC LB 4WD	6.0L V-8	9,400/9,400 (i)
2500 CC LB 4WD	6.0L V-8	13,900/13,900 (k)
2500 CC LB 4WD	6.6L V-8 TD	14,500/12,400 (i)

CHEVROLET SILVERADO/GMC SIERRA 3500

CONVENTIONAL/FIFTH-WHEEL TOWING

3500 Crew Cab

3500 CC Std Bed SRW 2WD	6.0L V-8	9,700/9,700 (i)
3500 CC Std Bed SRW 2WD	6.0L V-8	13,000/14,200 (k)
3500 CC Std Bed SRW 2WD	6.6L V-8 TD	13,000/17,500 (i)
3500 CC Std Bed SRW 4WD	6.0L V-8	9,400/9,400 (i)
3500 CC Std Bed SRW 4WD	6.0L V-8	13,000/13,900 (k)
3500 CC Std Bed SRW 4WD	6.6L V-8 TD	13,000/17,200 (i)
3500 CC LB SRW 2WD	6.0L V-8	9,600/9,500 (i)
3500 CC LB SRW 2WD	6.0L V-8	14,100/14,000 (k)
3500 CC LB SRW 2WD	6.6L V-8 TD	14,500/17,400 (i)
3500 CC LB DRW 2WD	6.0L V-8	9,200/9,200 (i)
3500 CC LB DRW 2WD	6.0L V-8	13,700/13,700 (k)
3500 CC LB DRW 2WD	6.6L V-8 TD	20,000/23,100 (i)
3500 CC LB SRW 4WD	6.0L V-8	9,200/9,200 (i)
3500 CC LB SRW 4WD	6.0L V-8	13,700/13,700 (k)
3500 CC LB SRW 4WD	6.6L V-8 TD	15,000/17,000 (i)
3500 CC LB DRW 4WD	6.0L V-8	8,900/8,800 (i)
3500 CC LB DRW 4WD	6.0L V-8	13,400/13,300 (k)
3500 CC LB DRW 4WD	6.6L V-8 TD	20,000/22,700 (i)

Fifth-wheel towing requires gooseneck/fifth-wheel prep package.

CHEVROLET SUBURBAN, TAHOE/GMC YUKON

Suburban/Yukon XL 2WD	5.3L V-8	6,300 (b) *
Suburban/Yukon XL 2WD	5.3L V-8	8,300 (g,t) *
Suburban/Yukon XL 4WD	5.3L V-8	6,000 (b) *
Suburban/Yukon XL 4WD	5.3L V-8	8,000 (g,t) *
Suburban RST	6.2L V-8	8,100 ♦
Tahoe/Yukon 2WD	5.3L V-8	8,600 (g,t) **▼
Tahoe/Yukon 2WD	5.3L V-8	6,600 (b) **▼
Tahoe/Yukon 4WD	5.3L V-8	6,400 (b) **▼
Tahoe/Yukon 4WD	5.3L V-8	8,400 (g,t) **▼
Tahoe/Yukon Denali 2WD	6.2L V-8	8,400 (e) **▼
Tahoe/Yukon Denali 4WD	6.2L V-8	8,100 (e) **▼

Yukon XL Denali 2WD	6.2L V-8	8,100 (e) *
Yukon XL Denali 4WD	6.2L V-8	7,900 (e) *

* Trailing capacity may be limited by tow vehicle's ability to carry trailer tongue weight.

♦ Estimated towing capacity. Product specifications not available at press time.

▼ Ratings for Tahoe and Yukon models may vary slightly. See dealer for details.

HONDA

Odyssey	3.5L V-6	3,000 (a9,t) ♦
Odyssey	3.5L V-6	3,500 (a10,t) ♦
Pilot 2WD	3.5L V-6	3,500 (t) ▼
Pilot AWD	3.5L V-6	5,000 (t) ▼
Ridgeline 2WD	3.5L V-6	3,500 (t) ●
Ridgeline AWD	3.5L V-6	5,000 (t) ●

♦ Requires surge-type or electric trailer brakes and available Honda accessory towing package and hitch ball. Premium fuel recommended when towing. ▼ Towing requires Honda accessory towing kit, trailer harness and hitch ball. ● Towing requires accessory towing equipment. See dealer for details.

HYUNDAI

Santa Fe	2.4L I-4	2,000 (t)
Santa Fe	2.0L I-4 TC	3,500 (t)

INFINITI

QX50 AWD	2.0L I-4 TC	3,000 (t)
QX80	5.6L V-8	8,500

KIA

Sedona	3.3L V-6	3,500 (t)
Sorento FWD/AWD	2.4L I-4	2,000 (t)
Sorento FWD	3.3L V-6	3,500 (t)
Sorento AWD	3.3L V-6	5,000 (t)
Sportage FWD/AWD	All	2,000 (t) *

* With trailer brakes

LAND ROVER

Land Rover Discovery	All	7,716 (t)
Land Rover Discovery Sport	2.0L I-4 TC	4,409 (t)
Range Rover	3.0L V-6 TD/SC	7,716 (t)
Range Rover	5.0L V-8 SC	7,716 (t)
Range Rover	2.0L I-4 TC	5,511 (t)
Range Rover Evoque 5-Door	2.0L I-4 TC	3,968 (t)
Range Rover Evoque Convertible	2.0L I-4 TC	3,306 (t)
Range Rover Sport	3.0L V-6 TD/SC	7,716 (t)
Range Rover Sport 518HP	5.0L V-8 SC	7,716 (t)
Range Rover Sport 575HP	5.0L V-8 SC	6,613 (t)
Range Rover Sport	2.0L I-4 TC	5,511 (t)
Range Rover Velar	All	5,291 (t)

LEXUS

RX 350	3.5L V-6	3,500 (t)
RX 450h AWD Hybrid	3.5L V-6	3,500 (t)
GX 460	4.6L V-8	6,500
LX 570	5.7L V-8	7,000

MAZDA

CX-5	2.0L	2,000 (t)
CX-9	3.7L V-6	3,500 (t)

MERCEDES-BENZ

GLC Coupe	All	3,500 (t)
GLC SUV	All	3,500 (t)
GLE Coupe	All	7,200 (t)
GLE SUV AMG	All	7,200 (t)
GLE 350 SUV RWD	3.5L V-6	6,600 (t)
GLE 350 4Matic SUV AWD	3.5L V-6	7,200 (t)
GLS SUV	All	7,500 (t)
G-Class SUV	All	7,000

MITSUBISHI

Outlander GT	3.0L V-6	3,500 (t)
--------------	----------	-----------

NISSAN

Armada	5.6L V-8	8,500 (t) ■
NV Passenger Van	All	2,000 ▼
NV Passenger Van	All	6,200 (t) ♦
NV Passenger Van	5.6L V-8	8,700 ●
Pathfinder	3.5L V-6	6,000 (t) ■

FRONTIER

Frontier Bed Lengths: King Cab 6'1"/Crew Cab 5' or 6'1"

Frontier S CC 2WD	4.0L V-6	6,640 (m,t)
Frontier S CC 2WD	4.0L V-6	6,620 (a,t)
Frontier SV CC 2WD	4.0L V-6	6,640 (t)
Frontier SV CC LWB 2WD	4.0L V-6	6,500 (t)
Frontier S CC 4WD	4.0L V-6	6,370 (t)
Frontier SV CC 4WD	4.0L V-6	6,380 (t)
Frontier SV CC LWB 4WD	4.0L V-6	6,250 (t)
Frontier DR CC 2WD	4.0L V-6	6,620 (t)
Frontier SL CC 2WD	4.0L V-6	6,480 (t)
Frontier SL CC 5' Bed 4WD	4.0L V-6	6,240 (t)
Frontier SL CC 6'1" Bed 4WD	4.0L V-6	6,110 (t)
Frontier Pro-4X CC 4WD	4.0L V-6	6,320 (m,t)
Frontier Pro-4X CC 4WD	4.0L V-6	6,290 (a,t)
Frontier S/SV King Cab 2WD	2.5L I-4	3,790 (a,t)
Frontier S King Cab 2WD	2.5L I-4	3,800 (m,t)
Frontier SV King Cab 2WD	2.5L I-4	3,810 (m,t)
Frontier SV King Cab 2WD	4.0L V-6	6,720 (t)
Frontier SV King Cab 4WD	4.0L V-6	6,510 (t)
Frontier DR King Cab 2WD	4.0L V-6	6,690 (t)
Frontier Pro-4X King Cab 4WD	4.0L V-6	6,450 (t)

TITAN

Titan Bed Lengths: Single Cab 8'/King Cab 6'5"/Crew Cab 5'7" or 6'5" (XD)

Titan Single Cab 2WD	5.6L V-8	9,660 (t)
Titan Single Cab 4WD	5.6L V-8	9,540 (t)
Titan King Cab 2WD	5.6L V-8	9,450 (t) ■
Titan King Cab Bed 4WD	5.6L V-8	9,250 (t) ■

2019 TOW RATINGS

Titan CC 2WD	5.6L V-8	9,380 (t) ■
Titan CC 4WD	5.6L V-8	9,240 (t) ■
Titan XD Single Cab 2WD	5.0L V-8 TD	12,710/12,830 (t)
Titan XD Single Cab 4WD	5.0L V-8 TD	12,430/12,550 (t)
Titan XD Single Cab 2WD	5.6L V-8	11,680/11,780 (t)
Titan XD Single Cab 4WD	5.6L V-8	11,360/11,480 (t)
Titan XD King Cab 2WD	5.6L V-8	11,390/11,490 (t) ■
Titan XD King Cab 4WD	5.6L V-8	11,060/11,180 (t) ■
Titan XD King Cab 2WD	5.0L V-8 TD	12,480/12,600 (t) ■
Titan XD King Cab 4WD	5.0L V-8 TD	12,120/11,880 (t) ■
Titan XD CC 2WD	5.6L V-8	11,680/11,350 (t) ■
Titan XD CC 4WD	5.6L V-8	10,950/11,070 (t) ■
Titan XD CC 2WD	5.0L V-8 TD	12,200/11,170 (t) ■
Titan XD CC 4WD	5.0L V-8 TD	11,960/10,830 (t) ■

Titan XD ratings include conventional/fifth-wheel tow limits. ■ Tow package required for some models, standard on others. See dealer for details. ▼ Fixed-in-bumper type, Class I ♦ Tow hitch (dealer accessory) ● Tow hitch, Class IV

PORSCHE

Cayenne	All	7,700 (t)
Macan	All	4,409 (t)

SUBARU

Ascent	2.4L I-4 TC	2,000 ▲
Ascent Premium/Limited/Touring	2.4L I-4 TC	5,000 ▲♦
Outback	All	2,700 ▲

▲ Connector for trailer harness is standard. Hitch receiver/hitch may be added as dealer-installed accessory.

♦ Maximum towing capacity varies by trim level. Trailer brakes may be needed. See dealer for details.

TOYOTA

4Runner	4.0L V-6	5,000
Highlander	3.5L V-6	5,000
Highlander Hybrid	3.5L V-6	3,500
Land Cruiser	5.7L V-8	8,100
RAV4 Adventure FWD	2.5L I-4	2,900 (t) *
RAV4 Adventure AWD	2.5L I-4	3,500 (t) *
Sequoia SR5/TRD Sport/Ltd 2WD	5.7L V-8	7,400
Sequoia SR5/TRD Sport/Ltd 4WD	5.7L V-8	7,100
Sequoia Platinum 2WD	5.7L V-8	7,200
Sequoia Platinum 4WD	5.7L V-8	7,000
Sienna	3.5L V-6	3,500 (t)

* 2018 tow rating. 2019 rating not available at press time.

TACOMA

Tacoma Bed Lengths: Access Cab 6'/DC Standard 5', Longbed 6'		
Tacoma SR/SR5 DC 2WD	2.7L I-4	3,500
Tacoma SR/SR5 Access Cab 2WD/4WD	2.7L I-4	3,500
Tacoma SR/SR5 Access Cab 2WD	3.5L V-6	6,800
Tacoma SR/SR5 Access Cab 4WD	3.5L V-6	6,500
Tacoma TRD Sport Access Cab 2WD	3.5L V-6	6,800
Tacoma TRD Sport Access Cab 4WD	3.5L V-6	6,500
Tacoma TRD Off-Road Access Cab 4WD	3.5L V-6	6,500
Tacoma SR5 DC 2WD	3.5L V-6	6,700
Tacoma SR/SR5 DC 4WD	3.5L V-6	6,400

Tacoma TRD Sport DC 2WD Std Bed	3.5L V-6	6,700
Tacoma TRD Sport DC 2WD LB	3.5L V-6	6,600
Tacoma TRD Sport DC 4WD	3.5L V-6	6,400
Tacoma TRD Off Road DC 2WD	3.5L V-6	6,700
Tacoma TRD Off Road DC 4WD	3.5L V-6	6,400
Tacoma TRD PRO DC 4WD	3.5L V-6	6,400
Tacoma Limited DC 2WD	3.5L V-6	6,600
Tacoma Limited DC 4WD	3.5L V-6	6,400

TUNDRA

Tundra Bed Lengths: DC Standard 6'6"/Longbed 8'1"/CrewMax 5'6"

Tundra SR DC Std Bed 2WD	4.6L V-8	6,800 (t)
Tundra SR5 DC Std Bed 2WD	4.6L V-8	6,800 (t)
Tundra SR DC Std Bed 2WD	5.7L V-8	10,200
Tundra SR5 DC Std Bed 2WD	5.7L V-8	10,200
Tundra SR5 DC LB 2WD	5.7L V-8	10,100
Tundra SR DC LB 2WD	5.7L V-8	10,100
Tundra Limited DC Std Bed 2WD	5.7L V-8	10,100
Tundra SR5 CrewMax 2WD	4.6L V-8	6,700 (t)
Tundra SR5 CrewMax 2WD	5.7L V-8	10,100
Tundra Limited CrewMax 2WD	5.7L V-8	9,400
Tundra Platinum CrewMax 2WD	5.7L V-8	9,400
Tundra 1794 CrewMax 2WD	5.7L V-8	9,400
Tundra SR5 DC LB 4WD	5.7L V-8	9,800
Tundra SR DC Std Bed 4WD	4.6L V-8	6,500
Tundra SR5 DC Std Bed 4WD	4.6L V-8	6,500
Tundra SR5 DC Std Bed 4WD	5.7L V-8	9,900
Tundra SR DC Std Bed 4WD	5.7L V-8	9,900
Tundra SR DC LB 4WD	5.7L V-8	9,800
Tundra Limited DC Std Bed 4WD	5.7L V-8	9,100
Tundra SR5 CrewMax 4WD	4.6L V-8	6,400 (t)
Tundra SR5 CrewMax 4WD	5.7L V-8	9,800
Tundra TRD Pro CrewMax 4WD	5.7L V-8	9,200
Tundra Limited CrewMax 4WD	5.7L V-8	8,800
Tundra Platinum CrewMax 4WD	5.7L V-8	8,800
Tundra 1794 CrewMax 4WD	5.7L V-8	8,800

Tundra ratings vary depending on trim level and equipment selected. See dealer for details.

VOLKSWAGEN

Atlas	2.0L I-4 TC	2,000 (t)
Atlas FWD/AWD	3.6L V-6	5,000 (t)

VOLVO

S60	All	2,000 (t) *
S90	All	2,000 (t) *
V60	All	2,000 (t) *
V60 Cross Country	2.0L I-4 TC	2,000 (t) *
V90 T5 FWD	2.0L I-4 TC	2,000 (t) *
V90 T6 AWD	2.0L I-4 TC/SC	3,500 (t) *
V90 Cross Country	All	3,500 (t) *
XC40	2.0L I-4 TC	3,500 (t) *
XC60 T5/T6	All	5,291 (t) *
XC60 T8	2.0L I-4 TC/SC	4,630 (t) *
XC90 T5 FWD	2.0L I-4 TC	4,000 (t) *
XC90 AWD	All	5,000 (t) *

*Max trailer weight, braked